Index to Volume 94

January–June, 2001

Author Index

Abekura M. *See* Matsumoto K, 667
Ackerley C. *See* Jung S, 80
Agazzi S, Regli L, Uske A, Maeder P, de Tribolet N. Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Ågren-Wilsson A. *See* Eklund A, 392
Ahluwalia BS. *See* Couldwell WT, 806
Akagi K. *See* Matsumoto K, 667
Alezra D. *See* Spiegelmann R, 7
Alkhani A, Lozano AM. Pallidotomy for Parkinson disease: a review of contemporary literature, 43
Alonso OF. *See* Ginsberg MD, 499
Al-Rousan N. *See* Inci S, 118
Alves WM. *See* Farace E, 863
Amagasaki K, Shimizu T, Suzuki Y, Kakizawa T. Focal hyperperfusion in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis, and strokelike episodes. Case report, 133
Andermann F. *See* Mittal S, 510
Anderson TJ. *See* Dumont AS, 281
Andersson N. *See* Eklund A, 392
Ang LC. *See* Midha R, 102
Angles SMB. *See* Marquardt G, 624
Antoniadis G. *See* Kretschmer T, 905
Apfelbaum RI. *See* Lonser RR, 539
Arriada N. *See* Sotelo J, 873
Arslantas A. *See* Cosan TE, 265
Arús C. *See* Barba I, 55
Asamoto S. *See* Mizutani T, 712
Aschoff A. *See* Wagner S, 693
Ashkenazi E. *See* Constantini S, 918
Atkinson JLD. Ultrasonography. Letter, 689
———. *See* Friedman JA, 565
Auber AE. *See* Tullous MW, 671
Awad IA. *See* Carpentier AC, 946

Babb MJ. *See* Nutik SL, 922
Baltuch GH. *See* Schwalb JM, 1010
Bance M. *See* Shamisa A, 816
Bando K, Satoh K, Matsubara S, Nakatani M, Nagahiro S. Hyperperfusion phenomenon after percutaneous transluminal angioplasty for atherosclerotic stenosis of the intracranial vertebral artery. Case report, 826
Baquero M. *See* Barba I, 55
Barba I, Moreno Á, Martínez-Pérez I, Tate AR, Cabañas ME, Baquero M, Capdevila A, Arús C. Magnetic resonance spectroscopy of brain hemangiopericytomas: high myoinositol concentrations and discrimination from meningiomas, 55
Barnett GH. *See* Kaakaji W, 892
Batzdorf U. *See* Holly LT, 21
Becker LE. *See* Jung S, 80
Behnke E. *See* Intemann PM, 437
Belayev L. *See* Ginsberg MD, 499
Benndorf G. *See* Unterberg AW, 740
Bennett WF. *See* McCutcheon IE, 487
Benzel EC. Book review, 851
Bergenheim AT. *See* Eklund A, 392
———. *See* Hariz MI, 552
Berger MS. *See* Szymanski MD, 445
Bergman TA. *See* Rockswold SB, 403
Berk C. Tuberculosis and the skull. Letter, 146
Bernhard D. *See* Kaakaji W, 892
Bertalanffy H. *See* Sure U, 972
Bertram EH. *See* Chen Z-f, 270
Bien S. *See* Sure U, 972
Biros MH. *See* Rockswold SB, 403
Björklund A. *See* Philips MF, 765
Blaese M. *See* Yamanaka R, 474
Blömer U. *See* Tatagiba M, 147
Blümcke I. *See* Schramm J, 33
Bogdahn U. *See* Schlachetzki F, 655
Böhme M. *See* Tatagiba M, 147
Bosch JA. *See* Sluzewski M, 238
Boto GR, Lobato RD, Rivas JJ, Gomez PA, de la Lama A, Lagares A. Basal ganglia hematomas in severely head injured patients: clinicoradiological analysis of 37 cases, 224
Bouccara D. *See* Kalamarides M, 612
Boyer O. *See* Valéry CA, 433
Brant CL. *See* Fukuhara T, 573
Braun V. *See* Kretschmer T, 905
Brennan JW, Rowed DW, Nedzelski JM, Chen JM. Cerebrospinal fluid leak after acoustic neuroma surgery: influence of tumor size and surgical approach on incidence and response to treatment, 217
Brisman JL. *See* Carter BS, 139
Brittis PA. *See* Hormigo A, 596
Britto JA. *See* Taylor WJ, 377
Broda A. *See* Wolach B, 706
Bronstein JM. *See* Intemann PM, 437
Bullock R. Potassium and intracranial pressure. Letter, 1026
Burnett JC Jr. *See* Wijdicks EFM, 252
Busto R. *See* Ginsberg MD, 499
Butz N. *See* Sure U, 972
Büyükmumcu M. *See* Üstün ME, 795

Cabañas ME. *See* Barba I, 55
Caltagirone C. *See* Vernieri F, 559

Canavero S, Bonicalzi V. Motor cortex stimulation. Letter, 688

Capdevila A. *See* Barba I, 55

Cappabianca P. *See* de Divitiis E, 861

Carmel PW. *See* Schulder M, 936

Carpentier AC, Constable RT, Schlosser MJ, de Lotbinière A, Piepmeier JM, Spencer DD, Awad IA. Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946

Carter BS, Brisman JL, Ogilvy CS. Spontaneous obliteration of an arteriovenous malformation associated with head trauma. Case illustration, 139

Cavallo LM. *See* de Divitiis E, 861

Çayli SR, Önal Ç, Koçak A, Onmuş SH, Tekİner A. An unusual presentation of neurotuberculosis: subdural empyema. Case report, 988

Ceratto R. *See* Lylyk P, 427

Cesarini KG. *See* Ronne-Engström E, 397

Chaloupka JC, Marx WF, Kallmes DF. Dural arteriovenous fistulas. Letter, 858

Chambers IR, Treadwell L, Mendelow AD. Determination of threshold levels of cerebral perfusion pressure and intracranial pressure in severe head injury by using receiver–operating characteristic curves: an observational study in 291 patients, 412

Chao DL. *See* Chen MY, 138

Chedid MK, Vender JR, Harrison SJ, McDonnell DE. Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature, 637

Chen H-J. *See* Ray C-S, 130

Chen JL. *See* Mahmood A, 589

Chen JM. *See* Brennan JW, 217

Chen MY, Chew EY, Reynolds JC, Chao DL, Oldfield EH. Metastatic brainstem pheochromocytoma in a patient with von Hippel–Lindau disease. Case illustration, 138

Chen W-F. *See* Ray C-S, 130

Chen Z-F, Kamiryo T, Henson SL, Yamamoto H, Bertram EH, Schottler F, Patel F, Steiner L, Prasad D, Kassell NF, Shareghis S, Lee KS. Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270

Cheng Y. *See* Yin X-I, 799

Chew EY. *See* Chen MY, 138

Chi JG. *See* Lee DK, 122

Chin LS, Ma L, DiBiase S. Radiation necrosis following gamma knife surgery: a case-controlled comparison of treatment parameters and long-term clinical follow up, 899

Chitnavis B. *See* Hussain SA, 680

Chitoku S. *See* Otsubo H, 1005

Choe G. *See* Lee DK, 122

———. *See* Lee DK, 617

Chong EY. *See* Yin X-I, 799

Chong WK. *See* Good CD, 27

Chopp M. *See* Mahmood A, 589

Chougule P. *See* Cobery ST, 327

Chow M, Clarke DB, Maloney WJ, Sangalang V. Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature, 841

Chrystal V. *See* Govender PV, 681

Chun-Kee C. *See* Lee JH, 318

Chyatte D, Porterfield R. Functional outcome after repair of unruptured intracranial aneurysms, 417

Clarke DB. *See* Chow M, 841

Clifton GL. Hypothermia. Letter, 855

Cobbs CS, Wilson CB. Intrasellar cavernous hemangioma. Case report, 520

Cobery ST, Noren G, Friehs GM, Chougule P, Zheng Z, Epstein MH, Taylor W. Gamma knife surgery for treatment of central neurocytomas. Report of four cases, 327

Coffey RJ. *See* Friedman JA, 831

Cohen EP. *See* Deshmukh P, 287

Cohen JE. *See* Lylyk P, 427

Cole DJ. Book review, 140

Collins GH. *See* King RB, 309

Connor S. *See* Hussain SA, 680

Constable RT. *See* Carpentier AC, 946

Constantini S, Kanner A, Friedman A, Shoshan Y, Israel Z, Ashkenazi E, Gertel M, Even A, Shevach Y, Shalit M, Umansky F, Rappaport ZH. Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918

Cosan TE, Gucuyener D. Pulsatility index. Letter, 686

———, ———, Dundar E, Arslantas A, Vural M, Uzuner K, Tel E. Cerebral blood flow alterations in progressive communicating hydrocephalus: transcranial Doppler ultrasonography assessment in an experimental model, 265

Couldwell WT. Astrocytoma cell line. Letter, 348

———, Zuback J, Onios E, Ahluwalia BS, Tenner M, Moscatello A. Giant petrous carotid aneurysm treated by submandibular carotid–saphenous vein bypass. Case report, 806

Couvelard A. *See* Kalamarides M, 612

Cowell JK. *See* Evans JJ, 111

Curcic M. *See* Yonekawa Y, 339

Cyna-Gorse F. *See* Kalamarides M, 612

Czosnyka M. Pulsatility index. Letter, 685

———, Czosnyka ZH, Whitfield PC, Donovan T, Pickard JD. Age dependence of cerebrospinal pressure–volume compensation in patients with hydrocephalus, 482

Czosnyka ZH. *See* Czosnyka M, 482

D'Ambrosio E. *See* Pallini R, 961

Dan NG. *See* Skirving DJ, 913

D'Arcangelo D. *See* Pallini R, 961

Dare AO, Lopes DK, Grand W. Sphenoid wing sarcoidosis. Case illustration, 849

Däuth T. *See* Govender PV, 681

de Divitiis E, Cappabianca P, Cavallo LM, Spaziante R. Sella repair. Letter, 861

de la Lama A. *See* Boto GR, 224

Delashaw JB. *See* Horgan MA, 660

Del Bigio MR, Massicotte EM. Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788

de Lotbinière A. *See* Carpentier AC, 946

DeSalles A. *See* Intemann PM, 437

Deshmukh P, Glick RP, Lichtor T, Moser R, Cohen EP. Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287

de Tribolet N. *See* Agazzi S, 533

Devecioğlu Ö. *See* Sencer A, 127

DEWOLF E. *See* Kalamarides M, 612
DIBIASE S. *See* Chin LS, 899
DIOMEDI M. *See* Vernieri F, 559
DI RIENZO A. *See* Fernandez E, 627
DO L. *See* Dufour H, 633
DONOVAN T. *See* Czosnyka M, 482
DÖRNER L. *See* Lüdemann, 1014
DRAKE JM, KULKARNI AV. Shunt infection. Letter, 1020
———. *See* Garton HJL, 202
———. *See* Kulkarni AV, 195
DUFOUR H, MÉTELLUS P, MANERA L, FUENTES S, DO L, GRISOLI F. Spontaneous vertex extradural hematoma: considerations about causes. Case report and review of the literature, 633
DUMONT AS, LOVREN F, MCNEILL JH, SUTHERLAND GR, TRIGGLE CR, ANDERSON TJ, VERMA S. Augmentation of endothelial function by endothelin antagonism in human saphenous vein conduits, 281
DUNDAR E. *See* Cosan TE, 265
DUYME M. *See* Valéry CA, 433

EKLUND A, ÅGREN-WILSSON A, ANDERSSON N, BERGENHEIM AT, KOSKINEN L-OD, MALM J. Two computerized methods used to analyze intracranial pressure B waves: comparison with traditional visual interpretation, 392
———. *See* Lundkvist B, 750
ELLAMUSHI HE, GRIEVE JP, JÄGER HR, KITCHEN ND. Risk factors for the formation of multiple intracranial aneurysms, 728
ELTON S. *See* Tubbs RS, 985
ENBLAD P. *See* Ronne-Engström E, 397
ENDO S. *See* Kurimoto M, 301
———. *See* Kurimoto M, 348
ENDO Y. *See* Matsumoto M, 718
EPSTEIN MH. *See* Cobery ST, 327
ERICKSON CA. *See* Rockswold SB, 403
EVANS JJ, JEUN S-S, LEE JH, HARWALKAR JA, SHOSHAN Y, COWELL JK, GOLUBIC M. Molecular alterations in the *neurofibromatosis Type 2* gene and its protein rarely occurring in meningothelial meningiomas, 111
EVANS RD. *See* Taylor RD, 377
EVEN A. *See* Constantini S, 918

FAGERLUND M. *See* Lundkvist B, 750
FAILLACE WJ. Shunt infection. Letter, 1019
FALCHETTI ML. *See* Pallini R, 961
FARACE E, JAMES AN, ALVES WM. Gender and traumatic brain injury. Letter, 863
FARMER JP. *See* Mittal S, 510
FELDMAN RP, MARCOVICI A, LASALA PA. Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
FERNANDEZ E, DI RIENZO A, MARCHESE E, MASSIMI L, LAURETTI L, PALLINI R. Radial nerve palsy caused by spontaneously occurring nerve torsion. Case report, 627
———. *See* Pallini R, 961
FERRARI M. *See* Quaresima V, 864
FERRARIO A. *See* Lylyk P, 427
FESSLER RD. *See* Qureshi AI, 880
FIELD M, WITHAM TF, FLICKINGER JC, KONDZIOLKA D, LUNSFORD LD. Comprehensive assessment of hemorrhage risks and outcomes after stereotactic brain biopsy, 545
FINAT-DUCLOS F. *See* Rolhion C, 97
FLICKINGER JC, KONDZIOLKA D, NIRANJAN A, LUNSFORD LD. Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
———. *See* Field M, 545
———. *See* Maesawa S, 14
FLYVBJERG A. *See* McCutcheon IE, 487
FOOTE RL. *See* Friedman JA, 886
FRANZINI A, FERROLI P, BROGGI G. Motor cortex stimulation. Letter, 688
FRÉGER P. *See* Proust F, 733
FREXES-STEED M. *See* Johnson MD, 293
FRIEDE H. *See* Guimarães-Ferreira J, 757
FRIEDLANDER DR. *See* Hormigo A, 596
FRIEDMAN A. *See* Constantini S, 918
FRIEDMAN JA, MEYER FB. Dural arteriovenous fistulas. Letter, 860
———, ———, NICHOLS DA, COFFEY RJ, HOPKINS LN, MAHER CO, MEISSNER ID, POLLOCK BE. Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831
———, PICHELMANN MA, PIEPGRAS DG, ATKINSON JLD, MAHER CO, MEYER FB, HANSEN KK. Ischemic complications of surgery for anterior choroidal artery aneurysms, 565
———, POLLOCK BE, NICHOLS DA, GORMAN DA, FOOTE RL, STAFFORD SL. Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
FRIEHS GM. *See* Cobery ST, 327
FRIEND KE. *See* McCutcheon IE, 487
FRYSINGER R. *See* Intemann PM, 437
FUENTES S. *See* Dufour H, 633
FUJII Y. *See* Harada A, 233
———. *See* Watanabe T, 955
FUJIMI S. *See* Shiozaki T, 50
FUJIMOTO N. *See* Nakada M, 464
FUKUHARA T, LUCIANO MG, BRANT CL, KLAUSCIE J. Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
FUKUI M. *See* Matsushima T, 257
FULLER C. *See* King RB, 309
FURUYOSHI N. *See* Yamada K, 322
FUTAMI K. *See* Nakada M, 464

GAAB MR. *See* Schroeder HWS, 72
GAGE NM. *See* Szymanski MD, 445
GARNIÉRI J. *See* Proust F, 733
GARTON HJL, KESTLE JRW, DRAKE JM. Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
GAVRIELI R. *See* Wolach B, 706
GERTEL M. *See* Constantini S, 918
GEWALLI F. *See* Guimarães-Ferreira J, 757
GHARABAGHI A. *See* Tatagiba M, 147
GIACOMINI P. *See* Vernieri F, 559
GILSBACH JM. *See* Hütter BO, 241
———. *See* Korinth MC, 137
GINSBERG MD, ZHAO W, BELAYEV L, ALONSO OF, LIU Y,

Loor JY, Busto R. Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Girbes ARJ. *See* Polderman KH, 697
———. *See* Polderman KH, 853
Glastonbury C. *See* Lonser RR, 539
Glick RP. *See* Deshmukh P, 287
Gofman J. *See* Spiegelmann R, 7
Golubic M. *See* Evans JJ, 111
Gomez PA. *See* Boto GR, 224
Gonzalez NR. *See* Murayama Y, 454
Good CD, Wade AM, Hayward RD, Phipps KP, Michalski AJ, Harkness WFJ, Chong, WK. Surveillance neuroimaging in childhood intracranial ependymoma: how effective, how often, and for how long? 27
Gorman DA. *See* Friedman JA, 886
Govender PV, Jithoo R, Chrystal V, Däuth T, Nathoo N. Cranial fasciitis. Case illustration, 681
Graamans K. *See* Sluyter S, 61
Grabb PA. *See* Tubbs RS, 985
Grady MS. *See* Philips MF, 765
Gräf K-J. *See* Kroppenstedt S-N, 335
Grand W. *See* Dare AO, 849
Greenblatt SH. Book review, 850
Grieve JP. *See* Ellamushi HE, 728
Grisoli F. *See* Dufour H, 633
Groscurth P. *See* Yonekawa Y, 339
Grossman RG. *See* York MK, 866
Groswasser Z. Gender and traumatic brain injury. Letter, 862
Grumet M. *See* Hormigo A, 596
Grunwald T. *See* Schramm J, 33
Gücer F. *See* Petru E, 846
Gucuyener D. *See* Cosan TE, 265
Guha A. *See* Shamisa A, 816
Guimarães-Ferreira J, Gewalli F, Sahlin P, Friede H, Owman-Moll P, Olsson R, Lauritzen CGK. Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Gullan RW. *See* Hussain SA, 680
Gupta RK. *See* Kathuria MK, 540
Gurçay Ö. *See* Inci S, 118
Guterman LR. *See* Qureshi AI, 880
Gwak H-s. *See* Lee DK, 617

Hadani M. *See* Spiegelmann R, 7
Hall WA, Liu H, Martin AJ, Maxwell RE, Truwit CL. Brain biopsy sampling using prospective stereotaxis and a trajectory guide, 67
Hamada H. *See* Kurimoto M, 301
———. *See* Kurimoto M, 348
Handa T. *See* Otsuka G, 836
Hannequin D. *See* Proust F, 733
Hansen KK. *See* Friedman JA, 565
Harada A, Fujii Y, Yoneoka Y, Takeuchi S, Tanaka R, Nakada T. High-field magnetic resonance imaging in patients with moyamoya disease, 233
Hariz MI, Bergenheim AT. A 10-year follow-up review of patients who underwent Leksell's posteroventral pallidotomy for Parkinson disease, 552
Harkness WFJ. *See* Good CD, 27
Harrison SJ. *See* Chedid MK, 637
Harwalkar JA. *See* Evans JJ, 111
Hashiguchi N. *See* Shiozaki T, 50
Hayakata T. *See* Shiozaki T, 50
Hayward RD. *See* Good CD, 27
———. *See* Taylor WJ, 377
Heilbrun ME, Tsuruda JS, Townsend JJ, Heilbrun MP. Intraneural perineurioma of the common peroneal nerve. Case report and review of the literature, 811
Heilbrun MP. *See* Heilbrun NE, 811
Heissler HE. *See* König K, 621
Henry MN. *See* Tullous MW, 671
Henson SL. *See* Chen Z-f, 270
Hesselager G. *See* Ronne-Engström E, 397
Heublein DM. *See* Wijdicks EFM, 252
Hill H. *See* McCutcheon IE, 487
Hillered L. *See* Ronne-Engström E, 397
Hirano H. *See* Nakayama M, 331
Hirashima Y. *See* Kurimoto M, 301
———. *See* Kurimoto M, 348
Hoelscher T. *See* Schlachetzki F, 655
Holly LT, Batzdorf U. Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Honda Y. *See* Watanabe T, 955
Hopkins LN. *See* Friedman JA, 831
———. *See* Qureshi AI, 880
Horgan MA, Delashaw JB, Schwartz MS, Kellogg JX, Spektor S, McMenomey SO. Transcrusal approach to the petroclival region with hearing preservation. Technical note and illustrative cases, 660
Horikoshi M. *See* Tosaka M, 528
Hormigo A, Friedlander DR, Brittis PA, Zagzag D, Grumet M. Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransfer-ase, 596
Houtteville J-P. *See* Proust F, 733
Hubschmann OR. Potassium and intracranial pressure. Letter, 1025
Husain N. *See* Kathuria MK, 540
Hussain SA, Chitnavis B, Connor S, Strong AJ, Gullan RW. Spontaneous thrombosis of a giant aneurysm following pregnancy. Case illustration, 680
Hütter BO, Kreitschmann-Andermahr I, Gilsbach JM. Health-related quality of life after subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241

Ikezaki K. *See* Matsushima T, 257
Imhof H-G. *See* Yonekawa Y, 339
Inamura T. *See* Matsushima T, 257
Inci S, Al-Rousan N, Söylemezoglu F, Gurçay Ö. Intrapontomesencephalic colloid cyst: an unusual location. Case report, 118
Inenaga C, Tanaka T, Sakai N, Nishizawa S. Diagnostic and surgical strategies for intractable spontaneous intracranial hypotension. Case report, 642
Inoue T. *See* Matsushima T, 257
Intemann PM, Masterman D, Subramanian I, DeSalles A, Behnke E, Frysinger R, Bronstein JM. Staged bilateral pallidotomy for treatment of Parkinson disease, 437
Ishizaka S. *See* Takeuchi H, 775

Israel Z. *See* Constantini S, 918
Ivanchuk S. *See* Jung S, 80
Iwamoto F. *See* Otsuki H, 992
Izurieta M. *See* Sotelo J, 873

Jäger HR. *See* Ellamushi HE, 728
Jaggi JL. *See* Schwalb JM, 1010
James AN. *See* Farace E, 863
Jeun S-S. *See* Evans JJ, 111
Jithoo R. *See* Govender PV, 681
Johansson BB. *See* Philips MF, 765
Johnson MD, Woodard A, Kim P, Frexes-Steed M. Evidence for mitogen-associated protein kinase activation and transduction of mitogenic signals by platelet-derived growth factor in human meningioma cells, 293
Johnston I. *See* Kollar C, 646
Jokura H. *See* Shirane R, 927
Jones BM. *See* Taylor WJ, 377
Joshita T. *See* Tosaka M, 528
Jullien C. *See* Rolhion C, 97
Jung HW. *See* Lee DK, 122
Jung H-w. *See* Lee DK, 617
Jung S, Ackerley C, Ivanchuk S, Mondal S, Becker LE, Rutka JT. Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80

Kaakaji W, Barnett GH, Bernhard D, Warbel A, Valaitis K, Stamp S. Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Kagawa N. *See* Otsuki H, 992
Kakizawa T. *See* Amagasaki K, 133
Kaku Y. *See* Yonekawa Y, 339
Kalamarides M, Dewolf E, Couvelard A, Shahidi A, Bouccara D, Cyna-Gorse F, Rey A, Sterkers O. Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612
Kallmes DF. *See* Chaloupka JC, 858
Kamiryo T. *See* Chen Z-f, 270
Kamiyama H. *See* Kurimoto M, 301
———. *See* Kurimoto M, 348
Kanda S. *See* Takeuchi H, 775
Kanner A. *See* Constantini S, 918
Kanpolat Y, Savas A. Radiosurgery and trigeminal neuralgia. Letter, 1018
Kaptain GJ, Sheehan JP, Kassell NF. Lenticulostriate artery aneurysm in infancy. Case illustration, 538
Kassell NF. *See* Chen Z-f, 270
———. *See* Kaptain GJ, 538
Kathuria MK, Kumar R, Pal L, Krishnani N, Husain N, Gupta RK. Brain-within-brain appearance of a heterotopic neuronal mass on magnetic resonance imaging. Case illustration, 540
Kawabata H, Shibata T, Matsui Y, Yasui N. Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Kawaguchi S, Sakaki T, Okuno S, Uchiyama Y, Nishioka T. Peripheral ophthalmic artery aneurysm. Report of two cases, 822
Kellogg JX. *See* Horgan MA, 660
Kémény J-L. *See* Rolhion C, 97
Kestle JRW. *See* Garton HJL, 202
Khan J. *See* Qureshi AI, 880
Kim CH, Kim JM. Germinoma and radiation. Letter, 1022
Kim DG, Lee JH. Brain abscess. Letter, 1021
———. *See* Lee DK, 122
———. *See* Lee DK, 617
Kim HJ. *See* Lee JH, 318
Kim JM. *See* Kim CH, 1022
Kim P. *See* Johnson MD, 293
Kim SH. *See* Qureshi AI, 880
King RB, Fuller C, Collins GH. Delayed onset of hemidystonia and hemiballismus following head injury: a clinicopathological correlation. Case report, 309
Kinoshita A. *See* Otsuki H, 992
Kita D. *See* Nakada M, 464
Kitano M, Taneda M. Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Kitchen ND. *See* Ellamushi HE, 728
Kiyosue H, Tanoue S, Okahara M, Mori M, Mori H. Ocular symptoms associated with a dural arteriovenous fistula involving the hypoglossal canal: selective transvenous coil embolization. Case report, 630
Klatzmann D. *See* Valéry CA, 433
Klauscie J. *See* Fukuhara T, 573
Kline DG. *See* Spinner RJ, 652
Kobayashi S. *See* Murai Y, 1023
———. *See* Tosaka M, 528
Koçak A. *See* Çayli SR, 988
Kodama N. *See* Matsumoto M, 718
Kohga H. *See* Tosaka M, 528
Kojima H. *See* Mizutani T, 712
———. *See* Suzuki T, 523
Kollar C, Parker G, Johnston I. The endovascular treatment of cranial venous sinus obstruction resulting in pseudotumor syndrome. Report of three cases, 646
Kondziolka D, Lunsford LD. Radiosurgery and trigeminal neuralgia. Letter, 1019
———. *See* Field M, 545
———. *See* Flickinger JC, 1
———. *See* Maesawa S, 14
König K, Rickels E, Heissler HE, Zumkeller M, Samii M. Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621
Korinth MC, Weinzierl MR, Gilsbach JM. Placental site trophoblastic tumor metastasizing to the brain. Case illustration, 137
Koskinen L-OD. *See* Eklund A, 392
———. *See* Lundkvist B, 750
Koyama M. *See* Watanabe T, 955
Koziol JA. *See* Wagner S, 693
Kral T. *See* Schramm J, 33
Kreitschmann-Andermahr I. *See* Hütter BO, 241
Kretschmer T, Antoniadis G, Braun V, Rath SA, Richter H-P. Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Krishnani N. *See* Kathuria MK, 540
Kristensen B. *See* Lundkvist B, 750
Kroppenstedt S-N, Liebig T, Mueller W, Gräf K-J, Lanksch WR, Unterberg AW. Secondary abscess formation in

pituitary adenoma after tooth extraction. Case report. 335
Kubo S, Nakata H. Subdural hematoma recurrence. Letter. 1023
———, ———, Yoshimine T. Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note. 677
Kulkarni AV, Drake JM, Lamberti-Pasculli M. Cerebrospinal fluid shunt infection: a prospective study of risk factors. 195
———. *See* Drake JM. 1020
Kumabe T. *See* Shirane R. 927
Kumami K. *See* Suzuki T. 523
Kumami M. *See* Suzuki T. 523
Kumar R. *See* Kathuria MK. 540
Kunis D. *See* Maier CM. 90
Kuo Y-L. *See* Ray C-S. 130
Kuratsu J-i. *See* Nakayama M. 331
Kurimoto M, Hirashima Y, Ogiichi T, Hamada H, Kamiyama H, Endo S. Astrocytoma cell line. Letter. 348
———, ———, ———, ———, ———, ———. Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1. 301
Kurozumi K. *See* Onoda K. 315
Kurscheel S. *See* Petru E. 846

Labit-Bouvier C. *See* Rolhion C. 97
Lagares A. *See* Boto GR. 224
Lamberti-Pasculli M. *See* Kulkarni AV. 195
Lang D. *See* Martin HC. 211
Lanksch WR. *See* Kroppenstedt S-N. 335
———. *See* Unterberg AW. 740
LaRocca LM. *See* Pallini R. 961
LaSala PA. *See* Feldman RP. 515
Lasjaunias P. *See* Taylor WJ. 377
Lauretti L. *See* Fernandez E. 627
Lauritzen CGK. *See* Guimarães-Ferreira J. 757
Lax S. *See* Petru E. 846
Lee DK, Jung H-w, Kim DG, Paek SH, Gwak H-s, Choe G. Postoperative spinal seeding of craniopharyngioma. Case report. 617
———, Kim DG, Choe G, Chi JG, Jung HW. Chordoid meningioma with polyclonal gammopathy. Case report. 122
Lee JH, Chun-Kee C, Kim HJ. Cerebral dissection from syringomyelia demonstrated using cine magnetic resonance imaging. Case report. 318
———. *See* Evans JJ. 111
———. *See* Kim DG. 1021
Lee KS. *See* Chen Z-f. 270
Legars D. *See* Proust F. 733
Leheta FD. *See* Marquardt G. 624
Lemaire J-J. *See* Rolhion C. 97
Lemole GM Jr, David C, Henn JS, Spetzler RF. Recurrent subarachnoid hemorrhage. Letter. 541
Lenzlinger PM. *See* Philips MF. 765
Levin HS. *See* York MK. 866
Li J. *See* McCutcheon IE. 487
Li Q. *See* Yang Y. 582
Li Y. *See* Mahmood A. 589
Liang C-L. *See* Ray C-S. 130
Liang D. *See* Schulder M. 936
Lichtor T. *See* Deshmukh P. 287
Lidar Z. *See* Spiegelmann R. 7
Liebig T. *See* Kroppenstedt S-N. 335
Lin KY. Book review. 852
Liu H. *See* Hall WA. 67
Liu Y. *See* Ginsberg MD. 499
Liu Y-h. *See* Yin X-l. 799
Lobato RD. *See* Boto GR. 224
Lonser RR, Glastonbury C, Apfelbaum RI. Retroclival craniopharyngioma. Case illustration. 539
Loor JY. *See* Ginsberg MD. 499
Lopes DK. *See* Dare AO. 849
Lovren F. *See* Dumont AS. 281
Lozano AM. *See* Alkhani A. 43
Lu D. *See* Mahmood A. 589
Lucas JA. *See* Uitti RJ. 867
Luciano MG. *See* Fukuhara T. 573
Lüdemann W, Dörner L, Tatagiba M, Samii M. Brachial plexus palsy from nodular fasciitis with spontaneous recovery implications for surgical management. Case illustration. 1014
Lui C-C. *See* Ray C-S. 130
Lunardi P. Subdural hematoma recurrence. Letter. 1025
Lundkvist B, Eklund A, Kristensen B, Fagerlund M, Koskinen L-OD, Malm J. Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study. 750
Lunsford LD. *See* Field M. 545
———. *See* Flickinger JC. 1
———. *See* Kondziolka D. 1019
———. *See* Maesawa S. 14
Lutman ME. *See* Martin HC. 211
Lylyk P, Cohen JE, Ceratto R, Ferrario A, Miranda C. Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils. 427

Ma L. *See* Chin LS. 899
Maeder P. *See* Agazzi S. 533
Maesawa S, Salame C, Flickinger JC, Pirris S, Kondziolka D, Lunsford LD. Clinical outcomes after stereotactic radiosurgery for idiopathic trigeminal neuralgia. 14
Maher CO. *See* Friedman JA. 565
———. *See* Friedman JA. 831
Mahmood A. Bone marrow transplantation. Letter. 684
———, Lu D, Li Y, Chen JL, Chopp M. Intracranial bone marrow transplantation after traumatic brain injury improving functional outcome in adult rats. 589
Maier CM, Sun GH, Kunis D, Yenari MA, Steinberg GK. Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size. 90
Maira G. *See* Pallini R. 961
Malm J. *See* Eklund A. 392
———. *See* Lundkvist B. 750
Maloney WJ. *See* Chow M. 841
Mancuso PA. *See* Tullous MW. 671
Mandell JW. Book review. 1015
Manera L. *See* Dufour H. 633
Marchese E. *See* Fernandez E. 627
Marcovici A. *See* Feldman RP. 515
Mariani L. *See* Seller RW. 862
Marklund N. *See* Ronne-Engström E. 397

Marmarou A, Fatouros P, Barsó P, et al: Contribution of edema and cerebral blood flow volume to traumatic brain swelling in head-injured patients [93:183–193, August, 2000]. Correction, 349
Marquardt G, Angles SMB, Leheta FD, Seifert V. Median nerve compression caused by a venous aneurysm. Case report, 624
———, Schick U, Möller-Hartmann W. Brain abscess. Letter, 1020
Marro B. *See* Valéry CA, 433
Marsault C. *See* Valéry CA, 433
Martin AJ. *See* Hall WA, 67
Martin HC, Sethi J, Lang D, Neil-Dwyer G, Lutman ME, Yardley L. Patient-assessed outcomes after excision of acoustic neuroma: postoperative symptoms and quality of life, 211
Martínez-Pérez I. *See* Barba I, 55
Martínez-Serrano A. *See* Philips MF, 765
Marx WF. *See* Chaloupka JC, 858
Massicotte EM. *See* Del Bigio MR, 788
Massimi L. *See* Fernandez E, 627
Masterman D. *See* Intemann PM, 437
Matsubara S. *See* Bando K, 826
———. *See* Satoh K, 422
Matsui Y. *See* Kawabata H, 386
Matsumoto J. *See* Yamada K, 322
Matsumoto K, Akagi K, Abekura M, Ohkawa M, Tasaki O, Tomishima T. Cosmetic and functional reconstruction achieved using a split myofascial bone flap for pterional craniotomy. Technical note, 667
Matsumoto M, Sato M, Nakano M, Endo Y, Watanabe Y, Sasaki T, Suzuki K, Kodama N. Three-dimensional computerized tomography angiography–guided surgery of acutely ruptured cerebral aneurysms, 718
Matsumura K. *See* Suzuki T, 523
Matsushima T, Inoue T, Inamura T, Natori Y, Ikezaki K, Fukui M. Transcerebellomedullary fissure approach with special reference to the methods of dissecting the fissure, 257
Matsuzawa H. *See* Watanabe T, 955
Matthies C. *See* Samii M, 144
Matthasson G. *See* Philips MF, 765
Maxwell RE. *See* Hall WA, 67
McCutcheon IE, Flyvbjerg A, Hill H, Li J, Bennett WF, Scarlett JA, Friend KE. Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
McDonnell DE. *See* Chedid MK, 637
McIntosh T. Bone marrow transplantation. Letter, 683
McIntosh TK. *See* Philips MF, 765
McMenomey SO. *See* Horgan MA, 660
McNeill JH. *See* Dumont AS, 281
Meissner ID. *See* Friedman JA, 831
Mendelow AD. *See* Chambers IR, 412
Mennel HD. *See* Sure U, 972
Métellus P. *See* Dufour H, 633
Meyer FB. *See* Friedman JA, 565
———. *See* Friedman JA, 831
———. *See* Friedman JA, 860
Michalski AJ. *See* Good CD, 27
Midha R, Nag S, Munro CA, Ang LC. Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Miki Y. *See* Mizutani T, 712
Mild Hypothermia Study Group in Japan. *See* Shiozaki T, 50
Miller JQ. Book review, 1016
Miranda C. *See* Lylyk P, 427
Mittal S, Farmer JP, Rosenblatt B, Andermann F, Montes JL, Villemure J-G. Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case. Case report, 510
Miura M. *See* Yamada K, 322
Miyachi S. *See* Otsuka G, 836
Miyayama H. *See* Yamada K, 322
Mizutani T, Kojima H, Asamoto S, Miki Y. Pathological mechanism and three-dimensional structure of cerebral dissecting aneurysms, 712
Mochizuki M. *See* Suzuki T, 523
Mokhtari K. *See* Valéry CA, 433
Möller-Hartmann W. *See* Marquardt G, 1020
Mondal S. *See* Jung S, 80
Montes JL. *See* Mittal S, 510
Moreno Á. *See* Barba I, 55
Mori H. *See* Kiyosue H, 630
Mori M. *See* Kiyosue H, 630
Moscatello A. *See* Couldwell WT, 806
Moser R. *See* Deshmukh P, 287
Mueller W. *See* Kroppenstedt S-N, 335
Munro CA. *See* Midha R, 102
Murai Y, Kobayashi S, Teramoto A. Germinoma and radiation. Letter, 1023
Murayama Y, Viñuela F, Tateshima S, Song JK, Gonzalez NR, Wallace MP. Bioabsorbable polymeric material coils for embolization of intracranial aneurysms: a preliminary experimental study, 454
Mursch K. Ultrasonography. Letter, 689

Nag S. *See* Midha R, 102
———. *See* Shamisa A, 816
Nagahiro S. *See* Bando K, 826
———. *See* Satoh K, 422
Nagayama T. *See* Nakayama M, 331
Nakada M, Kita D, Futami K, Yamashita J, Fujimoto N, Sato H, Okada Y. Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Nakada MT. *See* Yang Y, 582
Nakada T. *See* Harada A, 233
Nakaguchi H, Tanishima T, Yoshimasu N. Subdural hematoma recurrence. Letter, 1024
———, ———, ———. Subdural hematoma recurrence. Letter, 1025
Nakajima N. *See* Satoh K, 422
Nakajima Y. *See* Shiozaki T, 50
Nakamori Y. *See* Shiozaki T, 50
Nakano M. *See* Matsumoto M, 718
Nakata H. *See* Kubo S, 677
———. *See* Kubo S, 1023
Nakatani M. *See* Bando K, 826
Nakatani S. *See* Otsuki H, 992
Nakayama M, Nagayama T, Hirano H, Oyoshi T, Kuraisu J-i. Giant chondroma arising from the dura mater of the convexity. Case report and review of the literature. Case report and review of the literature, 331

Nathoo N. *See* Govender PV, 681
Natori Y. *See* Matsushima T, 257
Nedzelski JM. *See* Brennan JW, 217
Negoro M. *See* Otsuka G, 836
Neil-Dwyer G. *See* Martin HC, 211
Nemoto EM, Sanders M, Yonas H. Cerebral oximetry. Letter, 865
Ng H-K. *See* Yin X-l, 799
Nichols DA. *See* Friedman JA, 831
———. *See* Friedman JA, 886
Nijssen PCG. *See* Sluzewski M, 238
Nilsson P. *See* Ronne-Engström E, 397
Niranjan A. *See* Flickinger JC, 1
Nishimura F. *See* Takeuchi H, 775
Nishioka T. *See* Kawaguchi S, 822
Nishizawa S. *See* Inenaga C, 642
Nonaka M. *See* Takeuchi H, 775
Noren G. *See* Cobery ST, 327
———. *See* Shamisa A, 816
Nugent GR. Book review, 346
Nutik SL, Babb MJ. Determinants of tumor size and growth in vestibular schwannomas, 922

Oakes WJ. *See* Tubbs RS, 985
Obwegeser AA. *See* Uitti RJ, 867
Ogiichi T. *See* Kurimoto M, 301
———. *See* Kurimoto M, 348
Ogilvy CS. *See* Carter BS, 139
Öğün TC. *See* Üstün ME, 795
Ohkawa M. *See* Matsumoto K, 667
Okada Y. *See* Nakada M, 464
Okahara M. *See* Kiyosue H, 630
Okamoto T. *See* Otsuka G, 836
Okuno S. *See* Kawaguchi S, 822
Oldfield EH. *See* Chen MY, 138
Olsson R. *See* Guimarães-Ferreira J, 757
Önal Ç. *See* Çayli SR, 988
Onios E. *See* Couldwell WT, 806
Onmuş SH. *See* Çayli SR, 988
Onoda K, Kurozumi K, Tsuchimoto S, Satoh T. Experience with the high occipital transcortical approach in the treatment of intraventricular hemorrhage. Report of two cases, 315
Oriuchi N. *See* Tosaka M, 528
Otsubo H, Shirasawa A, Chitoku S, Rutka JT, Wilson SB, Snead OC III. Computerized brain-surface voltage topographic mapping for localization of intracranial spikes from electrocorticography. Technical note, 1005
Otsuka G, Miyachi S, Handa T, Negoro M, Okamoto T, Suzuki O, Yoshida J. Endovascular trapping of giant serpentine aneurysms by using Guglielmi detachable coils: successful reduction of mass effect. Case report, 836
Otsuki H, Nakatani S, Yamasaki M, Kinoshita A, Iwamoto F, Kagawa N. Intraoperative ultrasound arteriography using Coded Harmonic Angio. Report of three cases, 992
Owman-Moll P. *See* Guimarães-Ferreira J, 757
Oyoshi T. *See* Nakayama M, 331

Paek SH. *See* Lee DK, 617
Pal L. *See* Kathuria MK, 540
Pallini R, Pierconti F, Falchetti ML, D'Arcangelo D, Fernandez E, Maira G, D'Ambrosio E, LaRocca LM. Evidence for telomerase involvement in the angiogenesis of astrocytic tumors: expression of human telomerase reverse transcriptase messenger RNA by vascular endothelial cells, 961
———. *See* Fernandez E, 627
Pang JC. *See* Yin X-l, 799
Parker G. *See* Kollar C, 646
Pasqualetti P. *See* Vernieri F, 559
Patel F. *See* Chen Z-f, 270
Peerdeman SM. *See* Polderman KH, 697
———. *See* Polderman KH, 853
Penault-Llorca F. *See* Rolhion C, 97
Perry DW. *See* Szymanski MD, 445
Persson L. *See* Ronne-Engström E, 397
Petru E, Lax S, Kurschel S, Gücer F, Sutter B. Long-term survival in a patient with brain metastases preceding the diagnosis of endometrial cancer. Report of two cases and review of the literature, 846
Pfeffer R. *See* Spiegelmann R, 7
Philippon J. *See* Valéry CA, 433
Phillips MF, Matthasson G, Wieloch T, Björklund A, Johansson BB, Tomasevic G, Martínez-Serrano A, Lenzlinger PM, Sinson G, Grady MS, McIntosh TK. Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Phillips LH II. Book review, 851
Phipps KP. *See* Good CD, 27
Pichelmann MA. *See* Friedman JA, 565
Pickard JD. *See* Czosnyka M, 482
Piepgras DG. *See* Friedman JA, 565
Piepmeier JM. *See* Carpentier AC, 946
Pierconti F. *See* Pallini R, 961
Pirris S. *See* Maesawa S, 14
Polderman KH, Girbes ARJ, Peerdeman SM, Vandertop WP. Hypothermia. Letter, 853
———, Peerdeman SM, Girbes ARJ. Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Pollock BE. *See* Friedman JA, 831
———. *See* Friedman JA, 886
Poon W-s. *See* Yin X-l, 799
Porterfield R. *See* Chyatte D, 417
Povlishock JT. *See* Suchiro E, 493
Prasad D. Vestibular schwannomas: linear accelerator radiosurgery. Letter, 142
———. Vestibular schwannomas: radiosurgery. Letter, 141
———. *See* Chen Z-f, 270
Pritz MB. External carotid artery reconstruction performed using an autologous internal carotid artery patch. Technical note, 996
Proust F, Toussaint P, Garniéri J, Hannequin D, Legars D, Houtteville J-P, Fréger P. Pediatric cerebral aneurysms, 733

Quaresima V, Ferrari M. Cerebral oximetry. Letter, 864
Qureshi AI, Suri MFK, Khan J, Kim SH, Fessler RD, Ringer AJ, Guterman LR, Hopkins LN. Endovascular treatment of intracranial aneurysms using Guglielmi de-

tachable coils in awake patients: safety and feasibility, 880

Rappaport ZH. *See* Constantini S, 918
Rath SA. *See* Kretschmer T, 905
Rau C-S, Lui C-C, Liang C-L, Chen H-J, Kuo Y-L, Chen W-F. Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Regli L. *See* Agazzi S, 533
Reifenberger G. *See* Sabel M, 605
Reifenberger J. *See* Sabel M, 605
Rey A. *See* Kalamarides M, 612
Reynolds JC. *See* Chen MY, 138
Richter H-P. *See* Kretschmer T, 905
Rickels E. *See* König K, 621
Riina HA. *See* Schwalb JM, 1010
Ringer AJ. *See* Qureshi AI, 880
Rivas JJ. *See* Boto GR, 224
Roberts TPL. *See* Szymanski MD, 445
Rockswold GL. *See* Rockswold SB, 403
Rockswold SB, Rockswold GL, Vargo JM, Erickson CA, Sutton RL, Bergman TA, Biros, MH. Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Rolhion C, Penauli-Llorca F, Kémény J-L, Lemaire J-J, Jullien C, Labit-Bouvier C, Finat-Duclos F, Verrelle P. Interleukin-6 overexpression as a marker of malignancy in human gliomas, 97
Ronne-Engström E, Cesarini KG, Enblad P, Hesselager G, Marklund N, Nilsson P, Salci K, Persson L, Hillered, L. Intracerebral microdialysis in neurointensive care: the use of urea as an endogenous reference compound, 397
Rosahl S. *See* Tatagiba M, 147
Rosenblatt B. *See* Mittal S, 510
Rossini PM. *See* Vernieri F, 559
Roth P. *See* Yonekawa Y, 339
Rowed DW. *See* Brennan JW, 217
Rowley HA. *See* Szymanski MD, 445
Russell N, Wohaibi MA. Tuberculosis and the skull. Letter, 147
Rutka JT. *See* Jung S, 80
———. *See* Otsubo H, 1005

Sabel M, Reifenberger J, Weber RG, Reifenberger G, Schmitt HP. Long-term survival of a patient with giant cell glioblastoma. Case report, 605
Sahlin P. *See* Guimarães-Ferreira J, 757
Sakai N. *See* Inenaga C, 642
Sakaki T. *See* Kawaguchi S, 822
———. *See* Takeuchi H, 775
Sakowitz OW. *See* Stover JF, 782
———. *See* Unterberg AW, 740
Salame C. *See* Maesawa S, 14
Salci K. *See* Ronne-Engström E, 397
Salter G. *See* Tubbs RS, 985
Samii M, Tatagiba M, Matthies C. Vestibular schwannomas: surgical approach. Letter, 144
———. *See* König K, 621
———. *See* Lüdemann, 1014
———. *See* Tatagiba M, 147
Sanders M. *See* Nemoto EM, 865
Sangalang V. *See* Chow M, 841
Sarrafzadeh AS. *See* Unterberg AW, 740
Sasaki T. *See* Matsumoto M, 718
———. *See* Tosaka M, 528
Sato H. *See* Nakada M, 464
Sato M. *See* Matsumoto M, 718
Satoh K, Satomi J, Nakajima N, Matsubara S, Nagahiro S. Cerebellar hemorrhage caused by dural arteriovenous fistula: a review of five cases, 422
———. *See* Bando K, 826
Satoh T. *See* Onoda K, 315
Satomi J. *See* Satoh K, 422
Savas A. *See* Kanpolat Y, 1018
Sazbon L. *See* Wolach B, 706
Scarlett JA. *See* McCutcheon IE, 487
Schalke B. *See* Schlachetzki F, 655
Schick U. *See* Marquardt G, 1020
Schlachetzki F, Hoelscher T, Ullrich O-W, Schalke B, Bogdahn U. Dynamic and three-dimensional transcranial ultrasonography of an arachnoid cyst in the cerebral convexity. Technical note, 655
Schlegel J. *See* Sure U, 972
Schlesinger M. *See* Wolach B, 706
Schlosser MJ. *See* Carpentier AC, 946
Schmitt HP. *See* Sabel M, 605
Schnippering H. *See* Wagner S, 693
Schöning B. *See* Stover JF, 782
Schottler F. *See* Chen Z-f, 270
Schramm J, Kral T, Grunwald T, Blümcke I. Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome, 33
Schroeder HWS, Wagner W, Tschiltschke W, Gaab MR. Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Schulder M, Liang D, Carmel PW. Cranial surgery navigation aided by a compact intraoperative magnetic resonance imager, 936
Schwab S. *See* Wagner S, 693
Schwalb JM, Riina HA, Skolnick B, Jaggi JL, Simuni T, Baltuch GH. Revision of deep brain stimulator for tremor. Technical note, 1010
Schwartz MS. *See* Horgan MA, 660
Seifert V. *See* Marquardt G, 624
Sekiya T, Suzuki S. Neurotropin-3 and spinal ganglion neurons. Letter, 148
Seller RW, Mariani L. Sella repair. Letter, 861
Sencer A, Sencer S, Turantan İ, Devecioğlu Ö. Cerebrospinal fluid dynamics of the cava septi pellucidi and vergae. Case report, 127
Sencer S. *See* Sencer A, 127
Sethi J. *See* Martin HC, 211
Shahidi A. *See* Kalamarides M, 612
Shalit M. *See* Constantini S, 918
Shamisa A, Bance M, Nag S, Tator C, Wong S, Norén G, Guha A. Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816
Shareghis S. *See* Chen Z-f, 270
Sheehan J. Book review, 1016
Sheehan JP. *See* Kaptain GJ, 538
Shevach Y. *See* Constantini S, 918

Shibata T. *See* Kawabata H, 386
Shimazu T. *See* Shiozaki T, 50
Shimizu T. *See* Amagasaki K, 133
Shiozaki T, Hayakata T, Taneda M, Nakajima Y, Hashiguchi N, Fujimi S, Nakamori Y, Tanaka H, Shimazu T, Sugimoto H, Mild Hypothermia Study Group in Japan. A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50
Shirane R, Kumabe T, Yoshida Y, Su C-c, Jokura H, Umezawa K, Yoshimoto T. Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Shirasawa A. *See* Otsubo H, 1005
Shoshan Y. *See* Constantini S, 918
———. *See* Evans JJ, 111
Shuaib A. *See* Yang Y, 582
Siegel AM. *See* Sure U, 972
Silvestrini M. *See* Vernieri F, 559
Simuni T. *See* Schwalb JM, 1010
Sinson G. *See* Philips MF, 765
Skirving DJ, Dan NG. A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Skolnick B. *See* Schwalb JM, 1010
Sluyter S, Graamans K, Tulleken CAF, Van Veelen CWM. Analysis of the results obtained in 120 patients with large acoustic neuromas surgically treated via the translabyrinthine–transtentorial approach, 61
Sluzewski M, Bosch JA, van Rooij WJ, Nijssen PCG, Wijnalda D. Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Snead OC III. *See* Otsubo H, 1005
Song JK. *See* Murayama Y, 454
Sotelo J, Izurieta M, Arriada N. Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Söylemezoglu F. *See* Inci S, 118
Spaziante R. *See* de Divitiis E, 861
Spektor S. *See* Horgan MA, 660
Spencer DD. *See* Carpentier AC, 946
Spiegelmann R, Lidar Z, Gofman J, Alezra D, Hadani M, Peeffer R. Linear accelerator radiosurgery for vestibular schwannoma, 7
Spinner RJ, Thomas NM, Kline DG. Failure of surgical decompression for a presumed case of piriformis syndrome. Case report, 652
Stafford SL. *See* Friedman JA, 886
Stamp S. *See* Kaakaji W, 892
Steinberg GK. *See* Maier CM, 90
Steiner L. *See* Chen Z-f, 270
Steiner T. *See* Wagner S, 693
Sterkers O. *See* Kalamarides M, 612
Stover JF, Schöning B, Sakowitz OW, Woiciechowsky C, Unterberg AW. Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Strong AJ. *See* Hussain SA, 680
Su C-c. *See* Shirane R, 927
Subramanian I. *See* Intemann PM, 437
Suehiro E, Povlishock JT. Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493
Sugawara K. *See* Tosaka M, 528
Sugimoto H. *See* Shiozaki T, 50
Sun GH. *See* Maier CM, 90
Sure U, Butz N, Schlegel J, Siegel AM, Wakat JP, Mennel HD, Bien S, Bertalanffy H. Endothelial proliferation, neoangiogenesis, and potential de novo generation of cerebrovascular malformations, 972
Suri MFK. *See* Qureshi AI, 880
Sutherland GR. *See* Dumont AS, 281
Sutter B. *See* Petru E, 846
Sutton RL. *See* Rockswold SB, 403
Suzuki H. *See* Suzuki T, 523
Suzuki K. *See* Matsumoto M, 718
Suzuki O. *See* Otsuka G, 836
Suzuki S. *See* Sekiya T, 148
Suzuki T, Yasumoto Y, Kumami K, Matsumura K, Kumami M, Mochizuki M, Suzuki H, Kojima H. Primary pineal melanocytic tumor. Case report, 523
Suzuki Y. *See* Amagasaki K, 133
Szymanski MD, Perry DW, Gage NM, Rowley HA, Walker J, Berger MS, Roberts TPL. Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445

Takeuchi H, Yoshikawa M, Kanda S, Nonaka M, Nishimura F, Yamada T, Ishizaka S, Sakaki T. Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775
Takeuchi S. *See* Harada A, 233
Tamura M. *See* Tosaka M, 528
Tanaka H. *See* Shiozaki T, 50
Tanaka R. *See* Harada A, 233
———. *See* Watanabe T, 955
———. *See* Yamanaka R, 474
Tanaka T. *See* Inenaga C, 642
Taneda M. *See* Kitano M, 999
———. *See* Shiozaki T, 50
Tanishima T. *See* Nakaguchi H, 1024
———. *See* Nakaguchi H, 1025
Tanoue S. *See* Kiyosue H, 630
Tasaki O. *See* Matsumoto K, 667
Tatagiba M, Rosahl S, Blömer U, Gharabaghi A, Böhme M, Samii M. Neurotropin-3 and spinal ganglion neurons. Letter, 147
———. *See* Lüdemann, 1014
———. *See* Samii M, 144
Tate AR. *See* Barba I, 55
Tateshima S. *See* Murayama Y, 454
Tator C. *See* Shamisa A, 816
Taub E. *See* Yonekawa Y, 339
Taylor W. *See* Cobery ST, 327
Taylor WJ, Hayward RD, Lasjaunias P, Britto JA, Thompson DNP, Jones BM, Evans RD. Enigma of raised intracranial pressure in patients with complex craniosynostosis: the role of abnormal intracranial venous drainage, 377
Tekiner A. *See* Çayli SR, 988

Tel E. *See* Cosan TE, 265
Tenner M. *See* Couldwell WT, 806
Teramoto A. *See* Murai Y, 1023
Thomas NM. *See* Spinner RJ, 652
Thompson DNP. *See* Taylor WJ, 377
Tomasevic G. *See* Philips MF, 765
Tomishima T. *See* Matsumoto K, 667
Tosaka M, Tamura M, Oriuchi N, Horikoshi M, Joshita T, Sugawara K, Kobayashi S, Kohga H, Yoshida T, Sasaki T. Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Toussaint P. *See* Proust F, 733
Townsend JJ. *See* Heilbrun NE, 811
Treadwell L. *See* Chambers IR, 412
Triggle CR. *See* Dumont AS, 281
Truwit CL. *See* Hall WA, 67
Tschiltschke W. *See* Schroeder HWS, 72
Tsuchimoto S. *See* Onoda K, 315
Tsuruda JS. *See* Heilbrun NE, 811
Tsutsumi K, Ueki K, Kirino T. Recurrent subarachnoid hemorrhage. Letter, 541
Tubbs RS, Salter G, Elton S, Grabb PA, Oakes WJ. Sagittal suture as an external landmark for the superior sagittal sinus, 985
———, ———, Oakes WJ. Landmarks for the transverse sinus and torcular herophili. Letter, 687
Tulleken CAF. *See* Sluyter S, 61
Tullous MW, Henry MN, Wang PTH, Vollmer DG, Auber AE, Mancuso PA. Multiple-revolution spiral osteotomy for cranial reconstruction. Technical note, 671
Turantan İ. *See* Sencer A, 127

Uchiyama Y. *See* Kawaguchi S, 822
Uitti RJ, Lucas JA, Obwegeser AA, Wharen RE Jr. Pallidotomy and psychological outcomes. Letter, 867
Ullrich O-W. *See* Schlachetzki F, 655
Umansky F. *See* Constantini S, 918
Umezawa K. *See* Shirane R, 927
Unterberg AW, Sakowitz OW, Sarrafzadeh AS, Benndorf G, Lanksch WR. Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
———. *See* Kroppenstedt S-N, 335
———. *See* Stover JF, 782
Ushio Y. *See* Yamada K, 322
Uske A. *See* Agazzi S, 533
Üstün ME, Öğün TC, Büyükmumcu M. Neurotization as an alternative for restoring finger and wrist extension, 795
Uzuner K. *See* Cosan TE, 265

Valaitis K. *See* Kaakaji W, 892
Valéry CA, Marro B, Boyer O, Duyme M, Mokhtari K, Marsault C, Klatzmann D, Philippon J. Extent of tumor–brain interface: a new tool to predict evolution of malignant gliomas, 433
Vandertop WP. *See* Polderman KH, 853
van Rooij WJ. *See* Sluzewski M, 238
Van Veelen CWM. *See* Sluyter S, 61
Vargo JM. *See* Rockswold SB, 403
Vender JR. *See* Chedid MK, 637
Verma S. *See* Dumont AS, 281
Vernieri F, Pasqualetti P, Diomedi M, Giacomini P, Rossini PM, Caltagirone C, Silvestrini M. Cerebral hemodynamics in patients with carotid artery occlusion and contralateral moderate or severe internal carotid artery stenosis, 559
Verrelle P. *See* Rolhion C, 97
Villemure J-G. *See* Mittal S, 510
Viñuela F. *See* Murayama Y, 454
Vollmer DG. *See* Tullous MW, 671
Vural M. *See* Cosan TE, 265

Wade AM. *See* Good CD, 27
Wagner S, Schnippering H, Aschoff A, Koziol JA, Schwab S, Steiner T. Suboptimum hemicraniectomy as a cause of additional cerebral lesions in patients with malignant infarction of the middle cerebral artery, 693
Wagner W. *See* Schroeder HWS, 72
Wakat JP. *See* Sure U, 972
Walker J. *See* Szymanski MD, 445
Wallace MP. *See* Murayama Y, 454
Wang PTH. *See* Tullous MW, 671
Warbel A. *See* Kaakaji W, 892
Watanabe T, Honda Y, Fujii Y, Koyama M, Matsuzawa H, Tanaka R. Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Watanabe Y. *See* Matsumoto M, 718
Weber RG. *See* Sabel M, 605
Weil RJ. Meningeal neurosarcoidosis mimicking convexity meningioma. Case illustration, 1013
Weinzierl MR. *See* Korinth MC, 137
Weller M. *See* Wild-Bode C, 978
Wharen RE Jr. *See* Uitti RJ, 867
Whitfield PC. *See* Czosnyka M, 482
Wick W. *See* Wild-Bode C, 978
Wieloch T. *See* Philips MF, 765
Wieser HG. *See* Yonekawa Y, 339
Wijdicks EFM, Heublein DM, Burnett JC Jr. Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Wijnalda D. *See* Sluzewski M, 238
Wild-Bode C, Weller M, Wick W. Molecular determinants of glioma cell migration and invasion, 978
Wilson CB. *See* Cobbs CS, 520
Wilson SB. *See* Otsubo H, 1005
Witham TF. *See* Field M, 545
Wohaibi MA. *See* Russell N, 147
Woiciechowsky C. *See* Stover JF, 782
Wolach B, Sazbon L, Gavrieli R, Broda A, Schlesinger M. Early immunological defects in comatose patients after acute brain injury, 706
Wong S. *See* Shamisa A, 816
Woodard A. *See* Johnson MD, 293

Xanthopoulos KG. *See* Yamanaka R, 474

YAMADA K, MIURA M, MIYAYAMA H, FURUYOSHI N, MATSUMOTO J, USHIO Y. Symptomatic solitary xanthogranuloma occupying the cavernous sinus. Case report, 322
YAMADA T. *See* Takeuchi H, 775
YAMAMOTO H. *See* Chen Z-f, 270
YAMANAKA R, ZULLO SA, TANAKA R, BLAESE M, XANTHOPOULOS KG. Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
YAMASAKI M. *See* Otsuki H, 992
YAMASHITA J. *See* Nakada M, 464
YANG T. *See* Yang Y, 582
YANG Y, LI Q, NAKADA MT, YANG T, SHUAIB A. Angiographic evaluation of middle cerebral artery reperfusion caused by platelet glycoprotein IIb/IIIa receptor complex antagonist murine 7E3 $F(ab')_2$ in a model of focal cerebral ischemia in rats, 582
YARDLEY L. *See* Martin HC, 211
YASUI N. *See* Kawabata H, 386
YASUMOTO Y. *See* Suzuki T, 523
YENARI MA. *See* Maier CM, 90
YIN X-L, PANG JC, LIU Y-H, CHONG EY, CHENG Y, POON W-S, NG H-K. Analysis of loss of heterozygosity on chromosomes 10q, 11, and 16 in medulloblastomas, 799
YONAS H. *See* Nemoto EM, 865
YONEKAWA Y, IMHOF H-G, TAUB E, CURCIC M, KAKU Y, ROTH P, WIESER HG, GROSCURTH P. Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
YONEOKA Y. *See* Harada A, 233
YORK MK, LEVIN HS, GROSSMAN RG. Pallidotomy and psychological outcomes. Letter, 866
YOSHIDA J. *See* Otsuka G, 836
YOSHIDA T. *See* Tosaka M, 528
YOSHIDA Y. *See* Shirane R, 927
YOSHIKAWA M. *See* Takeuchi H, 775
YOSHIMASU N. *See* Nakaguchi H, 1024
———. *See* Nakaguchi H, 1025
YOSHIMINE T. *See* Kubo S, 677
YOSHIMOTO T. *See* Shirane R, 927

ZAGZAG D. *See* Hormigo A, 596
ZHAO W. *See* Ginsberg MD, 499
ZHENG Z. *See* Cobery ST, 327
ZIYAL IM, ÖZGEN T. Landmarks for the transverse sinus and torcular herophili. Letter, 686
ZUBACK J. *See* Couldwell WT, 806
ZULLO SA. *See* Yamanaka R, 474
ZUMKELLER M. *See* König K, 621

Subject Index

Aachen Life Quality Inventory
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241
Abstracts
Aagaard BDL, Stapf C, Mohr JP, Sciacca RR, Hartmann A, Pile-Spellman J, Mast H. *Incident hemorrhage risk of AVMs located in the anterial border zones*, 166A
Abdel Aziz KM, Froelich SC, Sanan A, van Loveren HR, Breneman JC, Tew JM Jr. *Reversal of cranial nerve deficits after focused-beam radiotherapy for cavernous sinus meningioma*, 380A
———, Van Loveren HR, Froelich SC, Keller JT, Tew JM Jr. *Resectability of sphenocavernous and clinoidocavernous meningiomas*, 393A
Abrahams JM, Forman MS, Grady MS, Diamond SL. *Delivery of human vascular endothelial growth factor with platinum coils enhances wall thickening and coil impregnation in a rat aneurysm model*, 155A
Alexander MJ, Duckwiler GR, Gobin YP, Jahan R, Viñuela F. *Analysis of visual deficits in a series of 121 ophthalmic or clinoidal segment aneurysms treated with endovascular therapy*, 186A
Alford BT, Crow W, Downs K. *Alterations of ICP and CPP during intraarterial papaverine infusion for vasospasm associated with aneurysmal SAH*, 189A
Alperin N, Lee S, Loth F, Roitberg B, Lichtor T, Charbel F. *Noninvasive MR imaging–based method for measurements of intracranial compliance and pressure*, 413A
Andaluz N, Tomsick TA, Tew JM Jr, van Loveren HR, Yeh H-S, Zuccarello M. *Endovascular therapy for refractory vasospasm following aneurysmal SAH: experience at the University of Cincinnati*, 158A
Anzai K, Kamiyama K, Nakamura H. *Endoscopic evacuation of intraventricular hematoma and third ventriculostomy*, 190A
Armonda RA, Benitez RP, Forget TR Jr, Thomas JE, Rosenwasser RH. *Combined cerebral oximetry and transcranial Doppler for vasospasm detection*, 178A
Barr JD, Loges R, Magdinec M. *Reteplase for acute stroke intervention*, 158A
Baskin DS, Frankel B, Njo H, Didenko V. *Glioblastomas and apoptosis of invading T lymphocytes*, 381A
Benabid AL, Koudsie A, Fraix V, Benazzouz A, Chabardes S, LeBas JF, Pollak P. *High-frequency stimulation of the subthalamic nucleus in advanced Parkinson disease: an 8-year experience*, 376A
Benitez RP, Vez E, Forget TR Jr, Rosenwasser R. *Safety of the routine use of temporary clipping in aneurysm surgery*, 185A
Berenstein A, Kupersmith M, Setton A, Pryor J, Niimi Y, Hartman J, Albert R. *Role and risk of endovascular exploration of cerebral aneurysms with Guglielmi detachable coils*, 170A
Bernard JD, Vang MC, Williams JS. *Stent-assisted angioplasty for symptomatic intracranial atherosclerosis*, 165A
Abstracts (*continued*)
Beutler WJ, Sweeney CA, Connolly PJ. *Recurrent laryngeal nerve injury with anterior cervical spine surgery: risk with laterality of surgical approach*, 388A
Breeze RE, Freed C, Fahn S, Greene P, Tsai W-y, Eidelberg D. *Long-term results following fetal cell implantation for Parkinson disease*, 387A
Bricolo A. *Surgical treatment of brainstem gliomas: approaches and technique*, 392A
Brisman JL, Carter BS, Budzik R, Putman C, Ogilvy CS. *Factors associated with outcome of high-risk surgical patients treated with Guglielmi detachable coils for intracranial saccular aneurysm*, 162A
———, ———, ———, ———, ———. *Factors associated with outcome in surgically high-risk patients with Guglielmi detachable coil treatment of intracranial saccular aneurysms*, 396A
———, Cosgrove GR, Bradley-Moore M, Thornton AF, Bussiere M, Shay C, Beer T, Hedley-Whyte ET, Loeffler JS, Chapman PH, Cole AJ. *Acute effects of stereotactic proton beam irradiation on the rat hippocampus*, 411A
Burry MV, Mericle RA, Mickle JP, Quisling RG. *Treatment of vein of Galen malformations: long-term follow up with combined transtorcular and transarterial approaches*, 388A
Carmel PW, Raab RW, Lange G, Natelson BH. *Posterior fossa volumes and morphology in chronic fatigue syndrome patients, Chiari I malformation patients, and healthy volunteers*, 390A
Carr A, Miele V, Price K, Bloomfield S. *Ten years' experience with breakthrough pain in patients treated with intrathecal drug delivery systems for intractable benign pain*, 401A
Carter BS, Ogilvy CS. *What determines outcome for surgically treated unruptured intracranial aneurysms?*, 165A
Chaloupka JC, Mangla S, Ueda T, Taoka T, Lesley WS, Weigele JB, Yuh WTC. *Rapid cerebral revascularization in acute thromboembolic stroke by using primarily percutaneous transluminal angioplasty: initial clinical experience*, 169A
———, Vander Zwaag K, Mangla S, Weigele JB, Lesley WS. *Incidence in a university referral population of aneurysms smaller than 10 mm that have ruptured: practical and theoretical implications*, 171A
Chanda A, Sekhar LN, Kalavakonda C, Wright DC, Sen C. *Chordoma and chondrosarcoma of the cranial base: results of surgical treatment in 124 patients*, 376A
Chang SD, Dodd R, Steinberg GK. *Resolution of medically intractable epilepsy following treatment of intracranial AVMs*, 172A
———, Marks MP, Steinberg GK. *Posterior cerebral artery aneurysms: treatment outcomes*, 182A
———, Sakamoto G, Lopez JR, Steinberg GK. *Combined somatosensory evoked potential and brainstem auditoryevoked potential monitoring improves results of posterior circulation aneurysm surgery*, 183A
Charbel FT, Corsten L, Zhao M, Guppy K, Raja A, Al-Shatoury H, Debrun G, Ausman J. *Revascularization for posterior circulation ischemia: modern approach to an old problem*, 154A

Abstracts (*continued*)
———, Du X, Guppy K, Zhao M, Ausman J. *Extracranial–intracranial bypass for symptomatic CA occlusion: a recent series*, 176A
———, Maksoud YA, Corsten L, Du X, Meide Z, Guppy K, Ausman J. *Breakthrough hemorrhage after extracranial-intracranial bypass surgery: risk factors and avoidance strategy*, 174A
Cheng K-M, Cheung Y-L, Chan C-M, Leung S. *Transvenous embolization of dural carotid-cavernous fistulas by sequential occlusion of the cavernous sinus*, 158A
Chiang VL, Gailloud P, Murphy KJ, Rigamonti D, Tamargo RJ. *Routine intraoperative angiography*, 176A
Choudhri TF, Connolly ES Jr, Fiore A, Hoh B, Khandji A, Solomon R. *Follow-up study on incidence and natural history of residual aneurysm necks after surgical clipping*, 391A
Christensen MD, O'Reilly C, Rosen BR, Buchbinder BR, Cosgrove GR. *Use of functional MR imaging in neurosurgical planning: the Massachusetts General Hospital experience*, 384A
Claus EB, Sturaitis M, Awad I, Outcomes Committee, Aneurysm Treatment Study Group, American Association of Neurological Surgeons and Congress of Neurological Surgeons. *Predictors of outcome in the treatment of cerebral aneurysms: the aneurysm treatment study group data*, 177A
Connolly ES Jr, Huant J, Winfree C, D'Ambrosio A, Mack W, Kiss S, Oppermann M, Popilskis S, Dobak J, Lasheras J. *Neuroprotection in a primate model of reperfused stroke by delayed mild hypothermia induced using a novel intravascular cooling catheter*, 168A
Coplin WM, Rhoney DH, Johnson SL, Johnson RR II, Zafonte RD, Levine SR. *National survey of the use of anticonvulsant prophylaxis after aneurysmal SAH: interim findings*, 396A
Coubes P, Vayssiere N, Cif L, Mansour M, Hemm S, Diakonova N, Tuffery S, Echenne B, Frerebeau P. *Early-onset generalized dystonia: neurosurgical treatment by continuous bilateral stimulation of the internal globus pallidus in 23 patients*, 410A
Curry WT Jr, Carter BS, Ogilvy CS. *Decompressive hemicraniectomy for nondominant ischemic stroke*, 399A
Dagam SA, Link M, O'Neill B, Pollock B. *Comparison of microneurosurgery with stereotactic radiosurgery in the treatment of solitary brain metastases*, 378A
———, Miller G, Krauss WE. *In vivo analysis of the artery of Adamkiewicz and its segmented origin: review of 92 spinal angiograms*, 169A
Danish S, Guzzardo S, Velasquez L, Abbott IR. *Long-term functional outcome for children treated with selective dorsal rhizotomy for spasticity*, 409A
Das K, Nwagwu C, Rothberg M. *History of thoracoscopic spine surgery*, 400A
DaSilva VR, Guha A, Willinsky R, Montanera W, Terbrugge K. *Spinal vascular malformations: risk of hemorrhage, age, duration, and mode of presentation*, 397A
De Salles AAF, Plasencia AR, Solbert TD, Viñuela F, Selch MT. *Combined embolization and stereotactic radiosurgery for the treatment of large volume, high-risk AVMs*, 406A
de Witt Hamer PC, van Furth WR, Verstegen MJT, Cusimano MD, Bosch DA. *Acute deterioration in third ventricular colloid cysts*, 390A
Dickerman RD, Oldfield EH. *Persistent and recurrent Cushing disease: an analysis based on findings at repeated pituitary surgery*, 389A

Abstracts (*continued*)
Dimitrov DF, Nicolelis M. *Human adult cortical plasticity: effects of lidocaine anesthesia similar to limb amputation*, 401A
Edner G, Kihlström L, Lindgren L, Mathiesen T. *Outcomes of aneurysmal SAH in a defined region in Sweden*, 155A
Feng L, Aagaard BDL, Brunson J, Duong H, Stapf C, Connolly ES Jr, Pile-Spellman J. *Risk factors associated with adverse events in interventional procedures*, 166A
Fessler RD, Linn RT, Granger CV, Olson K, Ostrow G, Hartney M, Lackner JM, Guterman LR, Hopkins LN. *Improved cognition following CA stent placement*, 180A
Forget TR Jr, Benitez RP, Sharan A, Veznedarglu E, Mitchell W, Silva M. *A review of size and location of ruptured intracranial aneurysms*, 175A
Friedman JA, Pichelmann MA, Piepgras DG, Maher CO, Atkinson JLD, Meyer FB, Hansen KK. *Ischemic complications of surgery for AChA aneurysms*, 184A
Fujiwara NH, Lin HB, Zabat D, Jensen ME, Short JG, Kallmes DF. *Patency rates of type I collagen stent grafts compared with polytetrafluoroethylene stent grafts for aneurysm therapy*, 160A
Gaposchkin CG, Robicsek S, LaFrentz PJ, Sulek C, Day AL. *Temporary clipping and MCA aneurysm surgery: factors associated with stroke*, 172A
Ginsberg HJ, Drake J, Cobbold R. *Cleaning ventricular catheters with ultrasonic cavitation*, 408A
Gonzalez NR, Murayama Y, Gobin P, Martin N, Viñuela F. *Embolization of unruptured cerebral aneurysms with Guglielmi detachable coils: clinical experience in 263 aneurysms*, 380A
———, ———, Viñuela F, Gobin P, Duckwiler G, Martin N. *Embolization of unruptured cerebral aneurysms with Guglielmi detachable coils: clinical experience in 263 aneurysms*, 156A
Grigorian AA, Marcovici A, Flamm ES. *Prediction of outcome in patients with unruptured cerebral aneurysms: analysis of 323 aneurysms*, 385A
Guarnaschelli JJ, Stawicki S, Petruska DA, Dzenitis AJ. *Update on recurrent cervical disc disease*, 389A
Hader WJ, Rutka JT, Vanderaa D, Otsubo H, Snead OC III, Tyagi A, Ochi A, Chitoku S. *Surgical treatment of epilepsy in children with cortical dysplasia: a review of 42 cases*, 408A
Hall WA, Cho K, Gerbi B, Higgins P. *Radiosurgery for patients with multiple brain metastases*, 378A
Han PP, Gonzalez F, Zabramski J, Spetzler R, McDougall C, Ponce F, Feiz-Erfan I. *Barrow Neurological Institute experience from 1995 to 1999 with EC–IC bypass: evolution in indications and technical factors associated with outcome*, 377A
Harris OA, Moure FC, Chappell ET. *Use of modified EAST practice parameters in clearing the cervical spine in the obtunded trauma patient: a prospective study*, 413A
Hatano T, Tsukahara T, Kawakami O, Ueno Y, Murakami N. *Stent placement for ostial stenoses of the VAs*, 184A
Henkes H, Monstadt H, Czerwinski F, Richter J, Speder J, Weber W, Kuehne D. *Platinum coils for the treatment of intracranial aneurysms with multiple detachment zones (multidetachment system)*, 167A
Henn JS, Albuquerque F, Lemole GM Jr, Horn E, Zabramski JM, McDougall C, Spetzler RF. *Surgical compared with endovascular management of extracranial carotid dissections: experience at one institution*, 398A
Hoh BL, Chapman PH, Loeffler JS, Carter BS, Ogilvy CS. *Arteriovenous malformation factors associated with seizure disorder after multimodality treatment*, 377A

Abstracts (*continued*)

———, ———, ———, ———, ———. *Factors associated with seizure incidence and long-term seizure-free outcome after treatment in a series of 353 AVMs*, 172A

———, Putman CM, Budzik RF, Ogilvy CS. *Surgical and endovascular flow obliteration of nontraumatic intracranial pial arteriovenous fistulas*, 182A

Honmou O, Sasaki M, Uede T, Hashi K. *Transplantation of clonal neural stem cells derived from adult human brain into the ischemic brain in the gerbil*, 156A

Horikoshi T, Akiyama I, Sugita M, Miyazawa N, Nukui H. *Prevalence of unruptured cerebral aneurysms in elderly patients*, 179A

Horner TG, Redelman K, Payner T, Leipzig T, Scott J, DeNardo A. *De novo aneurysm formation in patients less than 40 years of age*, 185A

Houkin K, Kuroda S. *Vascular reconstruction as a. option for the treatment of complex cerebral aneurysm*, 407A

Huang J, Mack W, Ducruet A, Winfree C, D'Ambrosio A, Hoh D, Nair N, Oppermann M, Connolly ES. *Experimental support for the supratentorial compartmentalization of ICP*, 385A

Hyogo T, Kataoka T, Hayase K, Nakamura H. *Angiographic follow-up results of Guglielmi detachable coil–treated cerebral aneurysms*, 156A

Iacono RP, Helseth EK, Carlson JD, Higuchi Y. *Cerebral peduncle and subthalamic nucleus changes following posteroventral pallidotomy*, 411A

Ishibashi T, Akiyama M, Onoue H, Abe T, Furuhata H. *Acceleration of thrombolysis by transcranial ultrasonication in in vivo*, 190A

Iskandar BJ, Johnson CA, Nythia H. *Effect of folic acid on CNS regeneration*, 409A

Jahan R, Gobin PY, Duckwiler GR, Murayama Y, Viñuela F. *Intracranial angioplasty for cerebrovascular occlusive disease*, 183A

Jawahar A, Sathyanarayana S, Reddy PK, Nanda A, Ampil F. *Analysis of outcome and prognostic factors in metastatic cauda equina compression: a 20-year single-institution experience*, 402A

Jeck DT, Short J, Marx W, Kallmes D. *Tissue penetration with N-butyl cyanoacrylate embolization in an in vivo animal model: direct comparison of slow and rapid injection techniques*, 189A

Jhawar BS, Ranger A, Del Maestro RF. *Risk factors for intracranial hemorrhage in full-term infants: impact on physical and cognitive long-term prognosis*, 397A

JiZong Z, Suo W, Jingsheng L, Dali S, Yuanli Z, Xiaodi H. *Combination of intraoperative embolization with surgical resection for treatment of giant cerebral AVMs*, 159A

Johnston SC, Zhao S, Dudley RA, Berman MF, Gress DR. *Should we press for regionalization of surgery for unruptured cerebral aneurysms?*, 167A

———, ———, ———, ———, ———. *Unruptured aneurysm treatment in California: surgery and endovascular therapy*, 188A

Kaibara T, Dumont AS, Sutherland GR. *Resection of vascular malformations monitored by high-field intraoperative MR imaging: initial experience*, 163A

Kalavakonda C, Sekhar LN. *Radial artery grafts in the management of complex intracranial aneurysms and improved results with the "pressure distension technique,"* 154A

Kallmes DF, Lin HB, Woodcock RJ, Vincent D, Altes TA, Zabat D, Jensen ME. *Type I collagen stent graft for occlusion of experimental side-wall aneurysms*, 160A

Abstracts (*continued*)

Karasu A, Aygen G, Pait TG, Yaşargil MG. *Herophilus of Chalcedon: in pursuit of the soul*, 400A

Kassam AB, Peters DG, Field M, Yonas H, Heidrich-O'Hare E, Ferrell RE. *A functional polymorphism in the endothelial nitric oxide synthase gene promoter is a potential risk factor for rupture of intracranial aneurysm*, 166A

Kasuya H, Onda H, Kawashima A, Okada Y, Hori T. *Efficacy of nicardipine prolonged-release implants in preventing clinical vasospasm*, 161A

Kawamata T, Iseki H, Ishizaki R, Kamikawa S, Hori T. *Less invasive endoscope-assisted endonasal–transsphenoidal microsurgery for pituitary tumors with an augmented reality navigation system*, 396A

Khurana VG, Katusic ZS. *Gene transfer for cerebrovascular disease*, 164A

Kilic T, Alberta JA, Zdunek PR, Acar M, Iannarelli P, O'Reilly T, Buchdunger E, Black PMcL. *Intracranial inhibition of PDGF-mediated glioblastoma cell growth by an orally active kinase inhibitor*, 404A

Kim DH, Kam AC, Chandika P, Tiel RL, Kline DG. *Surgical outcome of 918 brachial plexus injuries and tumors*, 376A

Kim DI, Lee KC. *Transvenous embolization for intracranial DAVFs*, 164A

Kim D-S, Han DH, Lee KC, Kwon Y, Yim MB, Kim JH, Kang SD, Kim GK, Sim JH, Baik MW, Park SK, Cho KG, Hong S-C, Park CW. *Spontaneous intracranial carotid and vertebral artery dissection in South Korea*, 157A

Kim SH, Qureshi AI, Yahia AM, Suarez JI, Zaidat O, Ali Z, Suri MFK, Tamargo RJ, Guterman LR, Hopkins LN. *Multicenter evaluation of the efficacy of endovascular treatment for symptomatic vasospasm unresponsive to hypervolemic and hypertensive therapy in patients with SAH*, 406A

King WA, Deutsch H, Rubino F, Nahouri RA, Gagner M. *Endoscopic CA surgery in a porcine model*, 159A

Kinouchi H, Mizoi K, Takahashi A, Nagamine Y, Yoshimoto T. *Craniocervical junction dural arteriovenous shunts*, 176A

Kojima A, Tator CH. *Intrathecal administration of epidermal growth factor and fibroblast growth factor–2 and ependymal proliferation: functional recovery after SCI in adult rats*, 413A

Kondo S, Okada Y, Hori T, Kobayashi A. *The use of a low power laser on cerebrovascular lesions*, 188A

Kondziolka D, Meltzer CC, Villemagne V, Wechsler L, Goldstein S, Gebel J. *Metabolic imaging and clinical outcomes following neurotransplantation for stroke*, 391A

Kopitnik TA, Samson D. *Intraoperative aneurysm rupture*, 192A

Kubo M, Kuwayama N, Iwai R, Yamatani K, Hamada H, Endo S. *Local intraarterial fibrinolysis for acute ischemic stroke: retrospective analysis of outcome and recanalization time*, 154A

Kuroda S, Houkin K, Kamiyama H, Abe H. *Risk of rebleeding in hemorrhagic-type moyamoya disease: effects of surgical revascularization*, 406A

Kuwayama N, Kubo M, Hamada H, Kurimoto M, Hirashima Y, Endo S. *Combined surgical and endovascular treatment of high-risk intracranial DAVFs*, 174A

Lablanc R, Kuznetsov Y, Arnold D. *Magnetic resonance spectroscopy prediction of survival in patients with supratentorial gliomas*, 405A

Lang FF, Fuller GN, Prados MD, Sawaya R, Yung WKA. *Phase I clinical trial of adenovirus-mediated* p53 *gene therapy for recurrent glioma: biological and clinical results*, 394A

Abstracts (*continued*)

Laws ER Jr, Sullivan C, Asher A, Berger M, Bernstein M, Sawaya R, Sloan A, Glioma Outcomes Project Investigators. *Survival of surgically treated malignant glioma patients: data from the glioma outcomes project*, 393A

Lee K-C, Lee JW, Huh SK, Kim DI. *Risks of surgery for small unruptured intracranial aneurysms*, 173A

Leiphart JW, Dills CV, Levy RM. *A new model for the spinal pharmacology of α_2-adrenergic analgesia in neuropathic pain*, 401A

Leipzig TJ, Morgan J, Horner TG, Payner TD, Redelman K. *Analysis of intraoperative rupture in the surgical treatment of 1694 saccular aneurysms*, 183A

Leonard JR, D'Sa-Eipper C, Roth KA. *Relationship between ethyl nitrosourea–induced neural precursor cell apoptosis and brain tumor formation*, 404A

Lesley WS, Lazo A. *Endovascular repair of intracranial aneurysms by using Guglielmi detachable coils and balloon remodeling technique*, 175A

Levy EI, Horowitz MB, Jungreis CC, Pride GL, Dutton K, Purdy PD. *Intraprocedural rupture of intracranial aneurysms during coil embolization: management and outcomes*, 156A

———, ———, ———, ———, ———, ———. *Transluminal stent-assisted angioplasty of the intracranial vertebrobasilar system for medically refractory posterior circulation ischemia*, 174A

Li L, Wang C. *History of Chinese neurosurgery*, 399A

Liker MA, Petrovich Z, Yu C, Giannotta S, O'Day SJ, Kristedja TS, Apuzzo MLJ. *Radiation-induced complications following single-dose stereotactic gamma knife radiosurgery for intracranial metastases*, 379A

Lobel J, Lifshutz J, Figuereo S, Johnson W, Colohan A, Collins J. *Hypertonic saline during the initial resuscitative period for the treatment of severe pediatric head trauma*, 410A

Loftus CM, Hindman B, Todd MM. *Intraoperative hypothermia in aneurysm surgery trial (IHAST) 2: trial design and current status*, 175A

———, ———, Torner JC, Todd MM. *IHAST 2: intraoperative hypothermia in aneurysm surgery trial: design and current status*, 407A

Lopes DK, Ringer AJ, Boulos A, Guterman LR, Hopkins LN. *Patency of arterial branches crossed by intracranial stents: fate of the "jailed" artery*, 169A

Low WC, Zhao L-R, Duan W-M, Keene CD, Reyes M, Nussbaum ES, Verfaille C. *Functional restoration with intracerebral transplants of bone marrow stem cells in rats with ischemic brain injury*, 180A

Lylyk P, Ceratto R, Cohen J, Miranda C, Ferrario A, Vilca M. *Reconstructive endovascular treatment of VA dissecting and fusiform aneurysms with combined techniques*, 178A

———, ———, ———, ———, ———, ———, Ramirez G. *Endovascular reconstruction of intracranial atherosclerotic stenoses and dissections*, 178A

———, Cohen J, Ceratto R, Miranda C, Ferrario A, Vilca M. *Endovascular reconstruction of the aneurysm–patient vessel complex by means of stent placement and combined techniques*, 389A

———, ———, ———, ———, Vilca M, Ramirez G, Ferrario A. *Endovascular reconstruction of the aneurysm-parent vessel complex by means of stent placement and combined techniques*, 171A

Lynch JJ, Christensen DM, Currier BL. *Lateral C-1 mass screws: technique and morphometric study*, 403A

Abstracts (*continued*)

Mahmood A, Lu D, Chopp M. *Treatment of TBI by intravenous transplantation of bone marrow stromal cells*, 412A

Malek AM, Halbach VV, Higashida RT, Lempert TE, Phatouros CC, Meyers PM, Dowd CF. *Endovascular treatment of anterior circulation aneurysms by using the Guglielmi detachable coil system: outcomes in a series of 296 patients*, 384A

———, Higashida RT, Lempert TE, Phatouros CC, Dowd CF, Halbach VV. *Guglielmi detachable coil therapy of BA aneurysms: clinical experience and long-term follow up in 126 patients*, 378A

———, ———, Phatouros CC, Lempert TE, Meyers PM, Dowd CF, Halbach VV. *Intracranial stent angioplasty for the treatment of symptomatic intracranial atherosclerotic disease*, 189A

———, Lee I, Izumo S, Alper SL. *Hemodynamic shear stress is a potent inducer of vascular endothelial growth factor in cerebral microvascular endothelium*, 186A

Malisch TW, Morasch M, Bendok B, Russell E, Vogelzang R, Batjer HH. *Management of patients referred for CA stent placement outside of randomized trials: results of a conservative algorithm*, 184A

Marion DW, Puccio AM, Wisniewski S, Kochanek P, Dixon CE. *Effect of hyperventilation on extracellular levels of patients with severe TBI*, 379A

Mark RJ, Young R, Jacques D, Copcutt B, Vermeulen S, Lee S. *Gamma knife radiosurgery boost for high-grade glioma*, 383A

Marmarou A, Signoretti S, Fatouros P, Beaumont A, Bullock R, Young HF. *Assessment of neurochemical damage in head-injured patients by MR spectroscopy*, 382A

Mase M, Yamada K, Aihara N, Banno T. *Lower incidence of symptomatic vasospasm after endovascular treatment of ruptured cerebral aneurysm than after surgical treatment*, 170A

Mathiesen T, Edner G, Kihlström L, Lindgren L. *Deep brainstem cavernomas: the Karolinska Institute experience*, 163A

Matsubara S, Nagahiro S, TerBrugge K, Willinsky R, Montanera W, Mandzia J, Faughnan M. *Angiographic and clinical characteristics of patients with cerebral AVMs associated with hereditary hemorrhagic telangiectasia*, 185A

Matsumoto M, Endo K, Endo Y, Sakuma J, Konno Y, Sato M, Suzuki K, Sasaki T, Kodama N. *Acute surgery of ruptured cerebral aneurysms by using 3D CT angiography without conventional angiography*, 181A

Michaeli D, Rappaport ZH. *Tissue resonance analysis: a new approach to noninvasive ICP monitoring and measurement*, 412A

Miyachi S, Negoro M, Okamoto T, Otsuka G, Suzuki O, Sahara Y, Yoshida J. *Usefulness of neckplasty technique for aneurysm embolization*, 191A

Morgan MK, Ferch R, Little N. *Bypass to the intracranial ICA*, 180A

Mouw GJ, Zechel JL, Yifang Z, Lust WD, Selman WR, Ratcheson RA. *Caspase-9 inhibition after focal ischemia attenuates neurological injury*, 182A

Muller PJ, Wilson B, Lilge L, Yang V, Fullagar T, Hetzel F, Chen Q, Fenstermaker R, Selker R, Abrams J. *Photodynamic therapy of malignant gliomas: clinical trials*, 394A

Murayama Y, Viñuela F, Tateshima S, Gonzalez N, Song JK, Iruela-Arispe L. *Bioabsorbable polymeric material coils for embolization of intracranial aneurysms. Part I: concept and feasibility study*, 159A

Abstracts (*continued*)

Nagashima H, Hongo K, Tanaka Y, Kobayashi S. *Endovascular therapy compared with surgical clipping for BA bifurcation aneurysm: retrospective analysis of 87 cases*, 157A

Nakagawara J, Osato T, Takeda R, Nakamura H. *Stratification of hemodynamic cerebral ischemia and evaluation of extracranial–intracranial bypass surgery*, 191A

Nakatomi H, Segawa H, Sano K, Shiokawa Y, Nagata K, Kamiyama H, Ueki K, Kirino T. *Clinicopathological study of intracranial fusiform and dolichoectatic aneurysms: insight on the mechanism of growth*, 163A

Nemoto S, Ueno T, Ishihara S, Mayanagi Y, Kirino T. *Endovascular treatment for difficult cases with cerebral aneurysms*, 193A

Nguyen TT, Walbridge S, Pack S, Vortmeyer A, Gogate N, Akbasak A, Goffman T, Bobo H, Olson J, Zhuang ZP, Oldfield EH. *Glioblastoma after conventional brain radiation: radiological, histological, and genetic analysis*, 381A

Nichols DA, Schreiner S, Thielen K, Axley P. *Endovascular treatment of aneurysm remnants postsurgical clipping*, 181A

Nozaki K, Hashimoto N, Miyamoto S. *Natural history of intracranial giant aneurysms*, 191A

Nussbaum ES, Madison MT. *Risk of cerebral embolization from carotid endarterectomy compared with carotid stenting: a controlled trial*, 377A

Ogilvy CS, Carter BS. *What determines outcome for surgically treated unruptured intracranial aneurysms?*, 386A

Oh MY, Kim SH, Lozano AM. *Hardware-related complications of deep brain stimulation in 100 consecutive electrodes*, 412A

Okamoto T, Miyachi S, Negoro M, Suzuki O, Keino H, Yoshida J. *Experimental carotid arterial dissection*, 192A

Oldfield EH, DeVroom HL, Nieman LK, Doppman JL. *Incidence and extent of dural invasion in Cushing disease: surgical management*, 387A

Onda H, Kasuya H, Yoneyama T, Takakura K, Hori T. *A genome-wide search for human intracranial aneurysms genes reveals major susceptibility loci on chromosome 5, 7, and 14*, 186A

Ono S, Komuro T, Weir B, Macdonald RL. *Heme oxygenase-1 gene therapy for prevention of vasospasm in rats*, 159A

Origitano TC, Shownkeen H. *Integration of interventional neurovascular training into neurosurgery residency*, 406A

Osterdock RJ, Heron DE, Heideman RL, Sanford RA, Kun LE. *Pediatric dorsally exophytic brainstem gliomas: Value of aggressive resection*, 392A

Palmer S. *Microendoscopic treatment prescription therapy of herniated lumbar discs*, 385A

Papavero L, Merten U, Helfrich S. *Extraforaminal lumbar disc herniation: lessons learned from 199 patients*, 404A

Patel AB, Brant AJ, Martin NA, Duckwiler G, Viñuela F, Gobin P, Jahan R. *Surgical and endovascular treatment for intracranial VA dissecting aneurysms*, 408A

Patil A-A, Andrews R, Johnson M, Tomes D, Lewine J. *Multiple subpial transection for seizure disorder*, 411A

Phuong LK, Pollock BE, Foote RL, Stafford S, Gorman DA. *Dose escalation in trigeminal neuralgia and increased risk of facial numbness and dysesthesias*, 391A

Pillay P, Sethi D. *Endoscopic transnasal–transsphenoidal resection of pituitary tumors: long-term results*, 380A

Popp AJ, Feustel PJ, Hannan EL, Bernardini GL, Waldman JB, Shah DM. *Carotid endarterectomy: differences in premorbid risk factors and processes of care by surgical specialties in New York state*, 390A

Abstracts (*continued*)

Porter RW, Crawford NR, Chamberlain RH, Park SC, Detwiler PW, Apostolides PJ, Sonntag VKH. *Biomechanical analysis of multilevel cervical corpectomy and plating constructs*, 403A

Pouratian N, Bookheimer S, Martin N, Rex D, Molayem N, Toga A. *Comparison of preoperative functional MR imaging and intraoperative stimulation mapping in patients with AVMs*, 384A

Preul MC, Feindel W. *Domus Willisi and the first neurological institute*, 399A

Raabe A, Zimmermann M, Seifert V. *Triple-H therapy: which H is important?*, 178A

———, ———, Setzer M, Berkefeld J, Seifert V. *Effect of intraventricular sodium nitroprusside on cerebral hemodynamics and oxygenation in patients with poor-grade aneurysms and severe intractable vasospasm*, 177A

Replogle RE, Pride GL, Horowitz M, Purdy P. *The treatment of extracranial carotid and vertebral pseudoaneurysms with intravascular stents*, 179A

Ringer AJ, Lopes D, Boulos A, Guterman LR, Hopkins LN. *Current limitations to intracranial stent deployment*, 168A

Rolli ML, Naff NJ, Richardson C, Noonan P, Armonda R. *Three-dimensional replication of cerebral aneurysms by using fused-deposition modeling*, 179A

Rosenørn J, Eskesen V, Schmidt K. *Has life-expectancy in persons with unruptured intracranial aneurysms changed after new publications concerning the risk of rupture?*, 162A

Rosiello AP, Madajewicz S, Manzione J, Hentschel P, Davis R. *Intraarterial chemotherapy followed by radiation therapy: survival in high-grade astrocytoma*, 395A

Russell SM, Woo H, Jafar J. *Saphenous vein bypass grafting of giant intracranial aneurysms*, 166A

Saif F, Ljunggren B, Al-Melaih A, Bell G, Mahmoud T, Ganslandt O. *The Cushing response(s)*, 400A

Saito I, Shiokawa Y, Kurita H, The Participants. *Current treatment results of acute cerebral major trunk occlusive diseases: a prospective multicenter study in Japan, 1999*, 190A

Samson DS, Kopitnik T Jr, White J, Batjer H. *Postoperative hemorrhage following AVM resection and normal results on angiography*, 187A

Sanford RA, Osterdock RJ, Merchant TE. *Pediatric ependymoma*, 381A

Sarzier JS, Evans AJ, Jensen M. *Pain reduction and improvement in functional mobility by the use of percutaneous polymethylmethacrylate vertebroplasty for the treatment of vertebral compression fractures: retrospective report of 225 cases*, 396A

Sata S, Kodama N, Sasaki T, Ishikawa T, Itakura T. *Perinidal dilated capillary networks in cerebral AVMs*, 191A

Satoh K, Satomi J, Matsubara S, Nakajima N, Nagahiro S. *Measurement of volume embolization ratio on detachable coil treatment for intracranial aneurysms*, 188A

Satomi J-i, terBrugge K, Wallace MC. *Natural history of benign intracranial DAVFs*, 172A

———, ———, Willinsky R, Montanera W, Tymianski M, Porter P, Wallace MC. *Natural history of benign intracranial DAVFs*, 387A

Sawamura Y, Shirato H, Ikeda J, Aoyama H, Ishii N. *Long-term follow-up results of induction chemotherapy followed by reduced-volume irradiation for newly diagnosed CNS germinoma*, 404A

———, Terasaka S, Asaoka K, Fukushima T. *Surgical anatomy and results of treatment with hypoglossal–facial nerve side-*

Abstracts (*continued*)
to-end communication to preserve hypoglossal function, 402A
Schievink WI, Riedinger M. *Racial disparities in SAH mortality: Los Angeles county, California, 1985–1998*, 161A
Schmidt MH, Berger MS, McDermott M, Aldape K, Chang S. *Results of reoperations for low-grade gliomas without adjuvant therapy*, 395A
Schwartz G, Stone SS, Morshead CM, Lee L, van der Kooy D, Tator CH. *Transplantation of subependymal stem cells from the adult mammalian forebrain: therapeutic strategy for traumatic spinal cord injury*, 388A
Schwartz ML, Farb R, Kim J, McGregor C, Willinsky R, Cooper P, Cheung G, Wright G, Tsao M, Scora D. *Auto-triggered, gadolinium-enhanced MR angiography may obviate intraarterial DS angiography for radiosurgery planning for brain AVMs*, 177A
Sekhar LN, Kalavakonda C, Sarma S. *Cerebral revascularization in intracranial aneurysms*, 386A
———, Sarma S, Kalavakonda C. *Nonvestibular schwannomas of the brain*, 383A
Seth SK, Bourekas EC, Christoforidis GA, Notestine M, Slivka AP. *Intraarterial thrombolysis for stroke following cardiac or cerebral angiography*, 188A
Setton A, Hartman J, Albert R, Niimi Y, Pryor J, Kupersmith M, Berenstein A. *Diminution of aneurysm mass effect produced by combining endovascular coil placement and parent vessel occlusion*, 168A
Shaffrey ME, Farace E, Humphrey JW, Maas AIR, Hukkelhoven C, Steyerberg E, Jane JA Sr. *Intracranial pressure and cerebral perfusion pressure as predictors of survival: analysis of the tirilazad database*, 413A
Shrivastava RK, Segal S, Sen C, Camins MB, Post KD. *Harvey Cushing's meningioma text and the historical origin of the resectability of the anterior one-third of the superior sagittal sinus*, 399A
Sills AK, Watridge CB, Redmond A, Dalrymple S. *Efficacy and safety of intraoperative arteriography during carotid endarterectomy*, 386A
Silverberg GD, McGuire D, Levinthal E, Shooter E, Sullivan E. *Cerebrospinal fluid drainage in Alzheimer disease: results of a phase I clinical trial*, 398A
Sinson GP, Bagley LJ, Flamm ES, Hurst RW. *Ethmoidal dural AVFs: clinical presentation and management considerations*, 157A
Song JK, Viñuela F, Gobin YP, Duckwiler GR, Murayama Y, Kureshi I, Frazee JG, Martin NA. *Interdisciplinary treatment of spinal DAVFs: technical results*, 173A
———, ———, ———, ———, ———, ———, ———, ———, ———. *Surgical and endovascular treatment of spinal DAVFs: long-term disability assessment and prognostic factors*, 173A
Sorteberg AG, Sorteberg W, Rappe A, Nakstad PH, Strother CM. *Effect of Guglielmi detachable coils on intraaneurysm pressure and flow: an experimental study in canines*, 175A
Spetzger U, Gilsbach JM, Kiriyanthan G, Thron A, Schumacher M. *Management and surgical techniques of immediate coil removal after coil migration during endovascular treatment of intracranial aneurysms*, 161A
Stafford SL, Pollock B, Foote R, Gorman D, Link M, Schomberg P. *Meningioma radiosurgery: results from 190 consecutive patients managed over a 9-year period*, 382A
Sugiyama K, Ueno J, Karasawa H, Endo T, Naito H, Hirota N, Kim H. *Treatment of ruptured cerebral aneurysms: long-term follow up of therapeutic outcome of clipping and endovascular treatment*, 165A
Sun B, Guan Y, Lang L, Zhang H, Pan L, Liu K, Zhou L. *Capsulotomy and localized orbitofrontal and subcortical metabolic changes in obsessive–compulsive disorder*, 411A
Szentirmai O, Kuo C, Ollennu M, Farnebo F, Lee J-s, Mulligan R, Carter BS. *Can systemic administration of antiangiogenic gene therapy slow the growth of intracranial human glioblastoma?*, 395A
Taggard DA, Traynelis VC, Kraut MA. *Case control study comparing the efficacy of surgical techniques for C1–2 arthrodesis*, 376A
Tamaki N, Yin D, Morikawa M, Nishihara M, Nagashim T, Ehara K. *Microsurgical management of paraclinoid aneurysms of the ICA*, 161A
Tamatani S, Ito Y, Koike T, Abe H, Kumagai T, Takeuchi K, Tanaka R. *Evaluation for the stability of aneurysms after embolization with detachable coils: correlation between the stability of aneurysms and volume embolization rate*, 171A
Tampieri D, Brassard R, Melanson D, Mohr G. *Immediate evaluation of CA stent placement using Doppler-tipped guide wire*, 192A
Tan T-c, Black PMcL. *Victor Horsley (1857–1916): founding father of neurosurgery*, 391A
Tang G, Cawley CM, Barrow DL. *Angiographic analysis of clip revision strategies*, 407A
———, Cawley M, Barrow DL. *Clip revision strategies: categorization and angiographic evaluation*, 170A
———, Cawley MC, Barrow DL. *Selective revascularization in the treatment of large and giant aneurysms*, 155A
Tator CH, Rutka JT, Tamber MS, McDonald PJ. *Surgery after failed radiotherapy for acoustic neuroma*, 379A
Terada T, Tsuura M, Matsumoto H, Masuo O, Kubo K, Nakai K, Itakura T. *Endovascular treatment for intracranial atherosclerotic stenosis: PTA compared with stent placement*, 163A
Tomak PR, Kaga A, Cawley CM, Dion J, Barrow DL. *Evolution in the management of tentorial DAVMs*, 167A
Tsuura M, Terada T, Masuo O, Matsumoto H, Nakai K, Itakura T. *Clinical results and complications of PTA and stent placement by using a blocking balloon catheter system for cervical ICA stenosis*, 164A
Ueno T, Nemoto S, Ishihara S, Mayanagi Y, Kirino T. *Clinical and angiographic outcomes of intracranial aneurysms treated with Guglielmi detachable coils: experience with over 150 cases*, 192A
Ushikoshi S, Hida K, Iwasaki Y, Asano T, Miyasaka K. *Treatment of spinal perimedullary AVFs*, 190A
Vajkoczy P, Munch E, Bauhuf C, Philips M, Horn P, Thome C, Hubner U, Schilling L, Roth H, Schmiedek P. *Monitoring of CBF following intraarterial papaverine in patients with hemodynamically significant cerebral vasospasm*, 184A
Van de Kelft EJZ, Martens F, Van Vyve M. *Fusion compared with laminectomy in the treatment of degenerative L4–5 spondylolisthesis: a prospective randomized trial*, 389A
Veznedaroglu E, Thomas J, Benitez RP, Forget TR Jr, Rosenwasser R. *Safety of intraventricular sodium nitroprusside and thiosulfate for the treatment and prevention of neurological deficits due to vasospasm: clinical experience and initial histological studies in an animal model*, 181A
Villavicencio AT, Dimitrov D, Little K, Rubin L, Hussain A. *Intraoperative somatosensory evoked potentials for nucleus caudalis dorsal root entry zone lesioning: technical modifications and results*, 402A

Abstracts (*continued*)
Vise WM. *Refuting untenable mechanisms of fatal head injury and G force calculations in the prosecution of child abuse cases*, 409A
Wakabayashi T, Hatano H, Ohno T, Takemura A, Yoshida J. *Intracellular hyperthermia for glioma by means of magnetite cationic liposomes*, 386A
Wakhloo AK, Livescu V, Lieber BB. *Intraaneurysm vorticity reduction subsequent to stent placement: a particle image velocimetry study in a side-wall aneurysm model*, 169A
Wang MC, Breeze R. *Caution regarding the applicability of the results of the international study of unruptured intracranial aneurysms to other populations*, 165A
Wang MY, Armstrong J, McComb JG, Levy M. *Development of a new bone wax and osteogenesis*, 403A
Warnke PC, Walker C, Smith T, Machell Y, Joyce KA, Basu S, Eldridge P, Vinjamuri S, Kopitzki K, DuPlessis D, Broome J. *Correlation of molecular genetics with tumor physiology and metabolism in patients with low-grade oligodendrogliomas*, 380A
Weinberg JS, Milas ZL, Sawaya R, Lang FF. *Resection of noncerebellar juvenile pilocytic astrocytomas*, 383A
Weiner RL, Alo KM, Reed KL, Fuller ML. *Subcutaneous neurostimulation for intractable C-2–mediated headaches*, 398A
Wheeler CJ, Lau R, Lee P, Prins R, Incardona F, Samoto K, Perlmutter R, Littman D, Black KL. *Local and systemic alteration of cellular immune components in experimental glioma*, 392A
Whitworth LA, Feler C. *Sacral nerve root stimulation for the treatment of intractable pain due to interstitial cystitis*, 402A
Wong JH, Berenstein A, Setton A, Pryor JC, Niimi Y, Albert RL. *Safety of endovascular coil placement in unruptured cerebral aneurysms: a 10-year experience*, 187A
Xi G, Keep RF, Hua Y, Bhasin RR, Duong HK, Hoff JT. *Mechanisms of edema formation following intracerebral hemorrhage: does hemolysate cause ischemia in intracerebral hemorrhage?*, 162A
Yahia AM, Qureshi AI, Suarez JI, Mohammad YM, Uzun G, Suri MFK, Zaidat O, Ayata C, Ali Z, Wityk RJ. *Timing of neurological deterioration in massive MCA infarction: implications for surgical intervention*, 187A
Yamada S, Colohan A, Iacono RP, Catrambone J. *Arteriovenous malformation compartments and color Doppler ultrasonography*, 160A
Yang V, Muller P, Herman P, Wilson B. *Intraoperative detection of brain tumors by a multispectral fluorescence guidance system*, 405A
Yao KC, Constantini S, Epstein F, Jallo G. *Spinal deformity and intramedullary tumor surgery*, 409A
Ying H, Leitner WW, Wang R-f, Irvine KK, Wheeler CJ, Black KL, Restifo NP. *Cancer therapy with a self-replicating nucleic acid vaccine*, 394A
Yoshida Y, Shirane R, Yoshimoto T. *Surgical treatment of late infantile Moyamoya disease*, 180A
Young RF, Jacques DB, Mark R, Copcutt B, Li F. *Gamma knife radiosurgery for treatment of trigeminal neuralgia: long-term results*, 401A
———, Mark R, Vermeulen S, Meier R, Jacques D, Copcutt B, Li F. *Gamma knife radiosurgery for meningiomas*, 393A
Yu JS, Ehtesham M, Samoto K, Black KL. *Expression of Fas ligand on brain tumor endothelium: implications for immune escape*, 382A
———, Zeltzer PM, Wheeler CJ, Trauger R, Bartholemew R, Thefan G, Ying H, Yong W, Lee P, Black KL. *Vaccination with GM-CSF–secreting cells and dendritic cells to induce intracranial cytotoxic T-cell responses*, 397A
Zabramski JM, Apostolides PJ, Sankhla S, Spetzler RF. *Surgical management of acute symptomatic ICA occlusion*, 186A
Zakhary R, Sneed PK, McDermott M. *Radiosurgery for cystic hemangioblastoma: effect on adjoining cyst*, 405A
Zirh AT, Tunca M, Saybasili H, Ozer F, Sarioglu AC. *Characteristics and somatotopic organization of kinesthetic cells in the globus pallidus interna of Parkinson disease patients*, 410A
Acoustic neuroma
Analysis of the results obtained in 120 patients with large acoustic neuromas surgically treated via the translabyrinthine–transtentorial approach, 61
Cerebrospinal fluid leak after acoustic neuroma surgery: influence of tumor size and surgical approach on incidence and response to treatment, 217
Determinants of tumor size and growth in vestibular schwannomas, 922
Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612
Linear accelerator radiosurgery for vestibular schwannoma, 7
Patient-assessed outcomes after excision of acoustic neuroma: postoperative symptoms and quality of life, 211
Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
Acrocephalosyndactyly
Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Adrenomedullin
Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Age
Age dependence of cerebrospinal pressure–volume compensation in patients with hydrocephalus, 482
Determinants of tumor size and growth in vestibular schwannomas, 922
Anatomical variation
Failure of surgical decompression for a presumed case of piriformis syndrome. Case report, 652
Anatomy
Sagittal suture as an external landmark for the superior sagittal sinus, 985
Anesthesia
Endovascular treatment of intracranial aneurysms using Guglielmi detachable coils in awake patients: safety and feasibility, 880
Aneurysm
Ischemic complications of surgery for anterior choroidal artery aneurysms, 565
Lenticulostriate artery aneurysm in infancy. Case illustration, 538
Peripheral ophthalmic artery aneurysm. Report of two cases, 822
Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
Aneurysm embolization
Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils, 427
Aneurysm morphology
Pathological mechanism and three-dimensional structure of cerebral dissecting aneurysms, 712

Aneurysm surgery
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241
Angiography
Focal hyperperfusion in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis, and strokelike episodes. Case report, 133
Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
Angioplasty
External carotid artery reconstruction performed using an autologous internal carotid artery patch. Technical note, 996
Hyperperfusion phenomenon after percutaneous transluminal angioplasty for atherosclerotic stenosis of the intracranial vertebral artery. Case report, 826
Antagonist
Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
Anterior choroidal artery
Ischemic complications of surgery for anterior choroidal artery aneurysms, 565
Anterosuperior cerebellar tumor
Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Antiapoptotic protein
Molecular determinants of glioma cell migration and invasion, 978
Anticonvulsant therapy
Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270
Antigen
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Antisiphon device
Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study, 750
Apoptosis
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Arteriovenous malformation
Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Endothelial proliferation, neoangiogenesis, and potential de novo generation of cerebrovascular malformations, 972
Spontaneous obliteration of an arteriovenous malformation associated with head trauma. Case illustration, 139
Arteriovenous shunt
Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Astrocytoma
Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1, 301
Evidence for telomerase involvement in the angiogenesis of astrocytic tumors: expression of human telomerase reverse
Astrocytoma (*continued*)
transcriptase messenger RNA by vascular endothelial cells, 961
Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80
Atrial natriuretic factor
Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Axon
Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788
Axonal injury
Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493

B wave
Two computerized methods used to analyze intracranial pressure B waves: comparison with traditional visual interpretation, 392
Basal ganglion hematoma
Basal ganglia hematomas in severely head injured patients: clinicoradiological analysis of 37 cases, 224
Bioabsorbable polymeric material
Bioabsorbable polymeric material coils for embolization of intracranial aneurysms: a preliminary experimental study, 454
Biopsy
Brain biopsy sampling by using prospective stereotaxis and a trajectory guide, 67
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Blood flow
Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788
Bone flap
Cosmetic and functional reconstruction achieved using a split myofascial bone flap for pterional craniotomy. Technical note, 667
Bone marrow
Intracranial bone marrow transplantation after traumatic brain injury improving functional outcome in adult rats, 589
Book review
Alexander E III, Maciunas RJ. *Advanced Neurosurgical Navigation*, 1016
Aminoff MJ (ed). *Electrodiagnosis in Clinical Neurology, ed 4*, 851
Berger MS, Wilson CB (eds). *The Gliomas*, 1015
Cottler JM, Simpson JM, An HS, Silveri CP (eds). *Surgery of Spinal Trauma*, 851
Cucchiara RF, Black S, Michenfelder JD (eds). *Clinical Neuroanesthesia, ed 2*, 140
Macmillan M. *An Odd Kind of Fame. Stories of Phineas Gage*, 850
Mongini F. *Headache and Facial Pain*, 346
Posnick JC. *Craniofacial and Maxillofacial Surgery in Children and Young Adults*, Vols 1 and 2, 852

Book review (*continued*)
Robbins LD. *Management of Headache and Headache Medications, ed 2*, 1016
Bosentan
Augmentation of endothelial function by endothelin antagonism in human saphenous vein conduits, 281
Brachial plexus
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Brachial plexus palsy
Brachial plexus palsy from nodular fasciitis with spontaneous recovery implications for surgical management. Case illustration, 1014
Brachycephaly
Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Brain
Brain-within-brain appearance of a heterotopic neuronal mass on magnetic resonance imaging. Case illustration, 540
Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
Metastatic brainstem pheochromocytoma in a patient with von Hippel–Lindau disease. Case illustration, 138
Brain abscess
Brain abscess. Letter, 1020, 1021
Brain compliance
Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
Brain edema
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Brain injury
Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Brain lesion
Sphenoid wing sarcoidosis. Case illustration, 849
Brain mapping
Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445
Brain metastasis
Long-term survival in a patient with brain metastases preceding the diagnosis of endometrial cancer. Report of two cases and review of the literature, 846
Brain natriuretic factor
Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Brain neoplasm
Brain biopsy sampling by using prospective stereotaxis and a trajectory guide, 67
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Molecular determinants of glioma cell migration and invasion, 978
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918
Brain neoplasm (*continued*)
Surveillance neuroimaging in childhood intracranial ependymoma: how effective, how often, and for how long? 27
Brain shift
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Brain slice
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80
Brain tumor
Cranial surgery navigation aided by a compact intraoperative magnetic resonance imager, 936
Breast cancer
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Calcineurin
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Calcium channel
Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788
Calpain
Molecular alterations in the *neurofibromatosis Type 2* gene and its protein rarely occurring in meningothelial meningiomas, 111
Cardiac arrhythmia
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Carotid artery
Giant petrous carotid aneurysm treated by submandibular carotid–saphenous vein bypass. Case report, 806
Carotid artery occlusion
Cerebral hemodynamics in patients with carotid artery occlusion and contralateral moderate or severe internal carotid artery stenosis, 559
Castleman syndrome
Chordoid meningioma with polyclonal gammopathy. Case report, 122
Cavernoma
Endothelial proliferation, neoangiogenesis, and potential de novo generation of cerebrovascular malformations, 972
Cavernous hemangioma
Intrasellar cavernous hemangioma. Case report, 520
Spontaneous vertex extradural hematoma: considerations about causes. Case report and review of the literature, 633
Cavernous sinus
Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Symptomatic solitary xanthogranuloma occupying the cavernous sinus. Case report, 322
Cavum septi pellucidi
Cerebrospinal fluid dynamics of cava septi pellucidi and vergae. Case report, 127
Cavum vergae
Cerebrospinal fluid dynamics of cava septi pellucidi and vergae. Case report, 127

Cell line
Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1, 301
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Central nervous system
Neurotropin-3 and spinal ganglion neurons. Letter, 147, 148
Central nervous system metastasis
Long-term survival in a patient with brain metastases preceding the diagnosis of endometrial cancer. Report of two cases and review of the literature, 846
Central nervous system tumor
Primary pineal melanocytic tumor. Case report, 523
Central neurocytoma
Gamma knife surgery for treatment of central neurocytomas. Report of four cases, 327
Cephalometry
Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Cerebellar hemorrhage
Cerebellar hemorrhage caused by dural arteriovenous fistula: a review of five cases, 422
Cerebellomedullary fissure
Transcerebellomedullary fissure approach with special reference to methods of dissecting the fissure, 257
Cerebellopontine angle
Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612
Neurotropin-3 and spinal ganglion neurons. Letter, 147, 148
Cerebellum
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Cerebral aneurysm
Functional outcome after repair of unruptured intracranial aneurysms, 417
Pediatric cerebral aneurysms, 733
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Cerebral angiography
Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature, 637
Risk factors for the formation of multiple intracranial aneurysms, 728
Cerebral blood flow
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Cerebral circulation
High-field magnetic resonance imaging in patients with moyamoya disease, 233
Cerebral dissection
Cerebral dissection from syringomyelia demonstrated using cine magnetic resonance imaging. Case report, 318
Cerebral hemodynamics
Cerebral hemodynamics in patients with carotid artery occlusion and contralateral moderate or severe internal carotid artery stenosis, 559
Cerebral infarction
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Cerebral ischemia
Angiographic evaluation of middle cerebral artery reperfusion caused by platelet glycoprotein IIb/IIIa receptor complex antagonist murine 7E3 $F(ab')_2$ in a model of focal cerebral ischemia in rats, 582
Cerebral metabolism
Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Cerebral perfusion pressure
Determination of threshold levels of cerebral perfusion presure and intracranial pressure in severe head injury by using receiver–operating characteristic curves: an observational study in 291 patients, 412
Hypothermia. Letter, 853, 855
Cerebral revascularization
Augmentation of endothelial function by endothelin antagonism in human saphenous vein conduits, 281
Cerebral spinal fluid
Vestibular schwannomas: surgical approach. Letter, 144, 145
Cerebral vasospasm
Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Cerebral vein thrombosis
Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Cerebrospinal fluid
Age dependence of cerebrospinal pressure–volume compensation in patients with hydrocephalus, 482
Dynamic and three-dimensional transcranial ultrasonography of an arachnoid cyst in the cerebral convexity. Technical note, 655
Sella repair. Letter, 861, 862
Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Cerebrospinal fluid cytology
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Cerebrospinal fluid dynamics
Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study, 750
Cerebrospinal fluid flow
Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study, 750
Cerebrospinal fluid leak
Cerebrospinal fluid leak after acoustic neuroma surgery: influence of tumor size and surgical approach on incidence and response to treatment, 217
Cerebrospinal fluid shunt
Cerebrospinal fluid shunt infection: a prospective study of risk factors, 195
Shunt infection. Letter, 1019, 1020
Cerebrovascular disease
Intracerebral microdialysis in neurointensive care: the use of urea as an endogenous reference compound, 397
Suboptimum hemicraniectomy as a cause of additional cerebral lesions in patients with malignant infarction of the middle cerebral artery, 693

Cervical spine
Diagnostic and surgical strategies for intractable spontaneous intracranial hypotension. Case report, 642
Chiari malformation
Cerebral dissection from syringomyelia demonstrated using cine magnetic resonance imaging. Case report, 318
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Children
Cerebrospinal fluid shunt infection: a prospective study of risk factors, 195
Pediatric cerebral aneurysms, 733
Surveillance neuroimaging in childhood intracranial ependymoma: how effective, how often, and for how long? 27
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Chromosome 11
Analysis of loss of heterozygosity on chromosomes 10q, 11, and 16 in medulloblastomas, 799
Chromosome 16
Analysis of loss of heterozygosity on chromosomes 10q, 11, and 16 in medulloblastomas, 799
Cine magnetic resonance imaging
Cerebral dissection from syringomyelia demonstrated using cine magnetic resonance imaging. Case report, 318
Clinical prediction
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Closed-system drainage
Subdural hematoma recurrence. Letter, 1023, 1024, 1025
Coagulation disorder
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918
Coded Harmonic Angiotechnique
Intraoperative ultrasound arteriography using Coded Harmonic Angio. Report of three cases, 992
Coil
Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils, 427
Colloid cyst
Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Intrapontomesencephalic colloid cyst: an unusual location. Case report, 118
Comparative genomic hybridization
Long-term survival of a patient with giant cell glioblastoma. Case report, 605
Complication
Revision of deep brain stimulator for tremor. Technical note, 1010
Computerized tomography
Basal ganglia hematomas in severely head injured patients: clinicoradiological analysis of 37 cases, 224
Comprehensive assessment of hemorrhage risks and outcomes after stereotactic brain biopsy, 545
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241
Contrast agent
Intraoperative ultrasound arteriography using Coded Harmonic Angio. Report of three cases, 992
Contrast-enhanced computerized tomography scanning
Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature, 637
Convexity
Giant chondroma arising from the dura mater of the convexity. Case report and review of the literature, 331
Cortical dysplasia
Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case, 510
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Cortical plasticity
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Corticosteroid
Meningeal neurosarcoidosis mimicking convexity meningioma. Case illustration, 1013
Cost analysis
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Cranial defect
Multiple-revolution spiral osteotomy for cranial reconstruction. Technical note, 671
Cranial venous obstruction
Endovascular treatment of cranial venous sinus obstruction resulting in pseudotumor syndrome. Report of three cases, 646
Craniopharyngioma
Postoperative spinal seeding of craniopharyngioma. Case report, 617
Retroclival craniopharyngioma. Case illustration, 539
Cranioplasty
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Craniosynostosis
Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Enigma of raised intracranial pressure in patients with complex craniosynostosis: the role of abnormal intracranial venous damage, 377
Multiple-revolution spiral osteotomy for cranial reconstruction. Technical note, 671
Craniotomy
Cranial surgery navigation aided by a compact intraoperative magnetic resonance imager, 936
Cyclosporin A
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493
Cytokine
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782

Deep vein thrombosis
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918

Deep-brain stimulator
Revision of deep brain stimulator for tremor. Technical note, 1010
Delayed traumatic aneurysm
Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature, 637
Dendritic cell
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Deoxyglucose
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Dermoid tumor
Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
Developmental venous anomaly
Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Differential pressure valve
Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study, 750
Diffusion-weighted imaging
Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Dissecting aneurysm
Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils, 427
Pathological mechanism and three-dimensional structure of cerebral dissecting aneurysms, 712
Dissemination
Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Dog
Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
Doppler velocimetry
Peripheral ophthalmic artery aneurysm. Report of two cases, 822
Dorsal root ganglion
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Dose-volume histogram
Radiation necrosis following gamma knife surgery: a case-controlled comparison of treatment parameters and long-term clinical follow up, 899
Dural arteriovenous fistula
Cerebellar hemorrhage caused by dural arteriovenous fistula: a review of five cases, 422
Dural arteriovenous fistulas. Letter, 858, 860
Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831
Ocular symptoms associated with a dural arteriovenous fistula involving the hypoglossal canal: selective transvenous coil embolization. Case report, 630
Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
Dural sinus
Sagittal suture as an external landmark for the superior sagittal sinus, 985
Dystonia
Delayed onset of hemidystonia and hemiballismus following head injury: a clinicopathological correlation. Case report, 309

Elbow flexion
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Electrocortical activity
Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445
Electrocorticography
Computerized brain-surface voltage topographic mapping for localization of intracranial spikes from electrocorticography. Technical note, 1005
Electrolyte depletion
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Embolization
Magnetic resonance spectroscopy of brain hemangiopericytomas: high myoinositol concentrations and discrimination from meningiomas, 55
Ocular symptoms associated with a dural arteriovenous fistula involving the hypoglossal canal: selective transvenous coil embolization. Case report, 630
Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
Empyema
An unusual presentation of neurotuberculosis: subdural empyema. Case report, 988
Endometrial cancer
Long-term survival in a patient with brain metastases preceding the diagnosis of endometrial cancer. Report of two cases and review of the literature, 846
Endoscopy
Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note, 677
Endothelin
Augmentation of endothelial function by endothelin antagonism in human saphenous vein conduits, 281
Endothelium
Endothelial proliferation, neoangiogenesis, and potential de novo generation of cerebrovascular malformations, 972
Endovascular therapy
Bioabsorbable polymeric material coils for embolization of intracranial aneurysms: a preliminary experimental study, 454
Cerebellar hemorrhage caused by dural arteriovenous fistula: a review of five cases, 422
Endovascular trapping of giant serpentine aneurysms by using Guglielmi detachable coils: successful reduction of mass effect. Report of two cases, 836
Endovascular treatment of cranial venous sinus obstruction resulting in pseudotumor syndrome. Report of three cases, 646
Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831

Endovascular therapy (*continued*)
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Entrapment neuropathy
Median nerve compression caused by a venous aneurysm. Case report, 624
Ependymoma
Surveillance neuroimaging in childhood intracranial ependymoma: how effective, how often, and for how long? 27
Epilepsy
Computerized brain-surface voltage topographic mapping for localization of intracranial spikes from electrocorticography. Technical note, 1005
Epilepsy surgery
Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case, 510
Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome, 33
Essential tremor
Revision of deep brain stimulator for tremor. Technical note, 1010
Ethmoidectomy
Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Excitotoxicity
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Experimental model
Cerebral blood flow alterations in progressive communicating hydrocephalus: transcranial Doppler ultrasonography assessment in an experimental model, 265
External carotid artery
External carotid artery reconstruction performed using an autologous internal carotid artery patch. Technical note, 996
Extracellular matrix
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80

Farnesyltransferase inhibitor
Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1, 301
Fibrinogen
Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Fluid-percussion injury
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Focal cerebral ischemia
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Foreign body
Brain abscess. Letter, 1020, 1021
Fourth ventricle
Transcerebellomedullary fissure approach with special reference to methods of dissecting the fissure, 257
Frameless stereotaxis
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Functional magnetic resonance imaging
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946

Gamma knife
Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270
Clinical outcomes after stereotactic radiosurgery for idiopathic trigeminal neuralgia, 14
Gamma knife surgery for treatment of central neurocytomas. Report of four cases, 327
Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816
Radiation necrosis following gamma knife surgery: a case-controlled comparison of treatment parameters and long-term clinical follow up, 899
Gammopathy
Chordoid meningioma with polyclonal gammopathy. Case report, 122
Gene therapy
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Extent of tumor–brain interface: a new tool to predict evolution of malignant gliomas, 433
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Germinoma
Germinoma and radiation. Letter, 1022, 1023
Giant aneurysm
Giant petrous carotid aneurysm treated by submandibular carotid–saphenous vein bypass. Case report, 806
Spontaneous thrombosis of a giant aneurysm following pregnancy. Case illustration, 680
Giant cell tumor
Long-term survival of a patient with giant cell glioblastoma. Case report, 605
Giant chondroma
Giant chondroma arising from the dura mater of the convexity. Case report and review of the literature, 331
Giant serpentine aneurysm
Endovascular trapping of giant serpentine aneurysms by using Guglielmi detachable coils: successful reduction of mass effect. Report of two cases, 836
Glioblastoma multiforme
Extent of tumor–brain interface: a new tool to predict evolution of malignant gliomas, 433
Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816
Interleukin-6 overexpression as a marker of malignancy in human gliomas, 97

Glioma
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Interleukin-6 overexpression as a marker of malignancy in human gliomas, 97
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Globus pallidus
Delayed onset of hemidystonia and hemiballismus following head injury: a clinicopathological correlation. Case report, 309
Glucose utilization
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Glycerol
Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621
Glycerol rhizolysis
A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Glycoprotein IIb/IIIa receptor complex antagonist
Angiographic evaluation of middle cerebral artery reperfusion caused by platelet glycoprotein IIb/IIIa receptor complex antagonist murine 7E3 F(ab′)$_2$ in a model of focal cerebral ischemia in rats, 582
Green fluorescent protein
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80
Growth factor
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Growth hormone
Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
Guglielmi detachable coil
Endovascular trapping of giant serpentine aneurysms by using Guglielmi detachable coils: successful reduction of mass effect. Report of two cases, 836
Endovascular treatment of intracranial aneurysms using Guglielmi detachable coils in awake patients: safety and feasibility, 880
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238

Head injury
Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621
Determination of threshold levels of cerebral perfusion presure and intracranial pressure in severe head injury by using receiver–operating characteristic curves: an observational study in 291 patients, 412
Early immunological defects in comatose patients after acute brain injury, 706
Head injury (*continued*)
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50
Headache
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Helical computerized tomography
Three-dimensional computerized tomography angiography–guided surgery of acutely ruptured cerebral aneurysms, 718
Hemangioblastoma
Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Hemiballismus
Delayed onset of hemidystonia and hemiballismus following head injury: a clinicopathological correlation. Case report, 309
Hemicraniectomy
Suboptimum hemicraniectomy as a cause of additional cerebral lesions in patients with malignant infarction of the middle cerebral artery, 693
Hemiparesis
Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Hemispherectomy
Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case, 510
Hemorrhage
Comprehensive assessment of hemorrhage risks and outcomes after stereotactic brain biopsy, 545
Heparin
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918
Heterotopia
Brain-within-brain appearance of a heterotopic neuronal mass on magnetic resonance imaging. Case illustration, 540
High occipital transcortical approach
Experience with the high occipital transcortical approach in the treatment of intraventricular hemorrhage. Report of two cases, 315
HMB-45
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Human telomerase reverse transcriptase
Evidence for telomerase involvement in the angiogenesis of astrocytic tumors: expression of human telomerase reverse transcriptase messenger RNA by vascular endothelial cells, 961
Hydrocephalus
Cerebral blood flow alterations in progressive communicating hydrocephalus: transcranial Doppler ultrasonography assessment in an experimental model, 265
Cerebrospinal fluid shunt infection: a prospective study of risk factors, 195
Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note, 677

Hydrocephalus (*continued*)
Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788
Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Hygromycin phosphotransferase
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Hyperbaric oxygenation
Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Hyperfusion
Focal hyperperfusion in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis, and strokelike episodes. Case report, 133
Hyperglycolysis
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Hyperperfusion
Hyperperfusion phenomenon after percutaneous transluminal angioplasty for atherosclerotic stenosis of the intracranial vertebral artery. Case report, 826
Hypertension
Enigma of raised intracranial pressure in patients with complex craniosynostosis: the role of abnormal intracranial venous damage, 377
Hyperventilation
Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
Hypoglossal canal
Ocular symptoms associated with a dural arteriovenous fistula involving the hypoglossal canal: selective transvenous coil embolization. Case report, 630
Hypokalemia
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Hypomagnesemia
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Hypophosphatemia
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Hypothermia
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50

Iatrogenic injury
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Idiopathic adult hydrocephalus syndrome
Cerebrospinal fluid hydrodynamics after placement of a shunt with an antisiphon device: a long-term study, 750
Idiopathic adult hydrocephalus syndrome (*continued*)
Two computerized methods used to analyze intracranial pressure B waves: comparison with traditional visual interpretation, 392
Image analysis
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Immune system
Early immunological defects in comatose patients after acute brain injury, 706
Immunocytochemistry
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Immunohistochemistry
Endothelial proliferation, neoangiogenesis, and potential de novo generation of cerebrovascular malformations, 972
Immunosuppression
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
In situ hybridization
Evidence for telomerase involvement in the angiogenesis of astrocytic tumors: expression of human telomerase reverse transcriptase messenger RNA by vascular endothelial cells, 961
Infant
Lenticulostriate artery aneurysm in infancy. Case illustration, 538
Infection
Cerebrospinal fluid shunt infection: a prospective study of risk factors, 195
Early immunological defects in comatose patients after acute brain injury, 706
Shunt infection. Letter, 1019, 1020
Insula
Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
Insulin-like growth factor
Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
Integrin
Molecular determinants of glioma cell migration and invasion, 978
Interleukin-2
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Interleukin-6
Interleukin-6 overexpression as a marker of malignancy in human gliomas, 97
Internal carotid artery
External carotid artery reconstruction performed using an autologous internal carotid artery patch. Technical note, 996
Interventional magnetic resonance imaging
Brain biopsy sampling by using prospective stereotaxis and a trajectory guide, 67
Intracerebral hemorrhage
Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831
Intracranial aneurysm
Bioabsorbable polymeric material coils for embolization of intracranial aneurysms: a preliminary experimental study, 454

Intracranial aneurysm (*continued*)
Endovascular treatment of intracranial aneurysms using Guglielmi detachable coils in awake patients: safety and feasibility, 880
Intracranial hemorrhage
Lenticulostriate artery aneurysm in infancy. Case illustration, 538
Intracranial pressure
Determination of threshold levels of cerebral perfusion presure and intracranial pressure in severe head injury by using receiver–operating characteristic curves: an observational study in 291 patients, 412
Dynamic and three-dimensional transcranial ultrasonography of an arachnoid cyst in the cerebral convexity. Technical note, 655
Effects of hyperbaric oxygenation therapy on cerebral metabolism and intracranial pressure in severely brain injured patients, 403
Enigma of raised intracranial pressure in patients with complex craniosynostosis: the role of abnormal intracranial venous damage, 377
Hypothermia. Letter, 853, 855
A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50
Potassium and intracranial pressure. Letter, 1025, 1026
Two computerized methods used to analyze intracranial pressure B waves: comparison with traditional visual interpretation, 392
Intracranial spikes
Computerized brain-surface voltage topographic mapping for localization of intracranial spikes from electrocorticography. Technical note, 1005
Intraoperative magnetic resonance imaging
Cranial surgery navigation aided by a compact intraoperative magnetic resonance imager, 936
Intraoperative ultrasound arteriography
Intraoperative ultrasound arteriography using Coded Harmonic Angio. Report of three cases, 992
Intraventricular hemorrhage
Experience with the high occipital transcortical approach in the treatment of intraventricular hemorrhage. Report of two cases, 315
intraventricular tumor
Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Invasion
Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Ischemia
Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621

Kaolin
Cerebral blood flow alterations in progressive communicating hydrocephalus: transcranial Doppler ultrasonography assessment in an experimental model, 265

Laparoscopy
Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note, 677
Lesionectomy
Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome, 33
Likelihood ratio
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Linear accelerator
Linear accelerator radiosurgery for vestibular schwannoma, 7
Lipoma
Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
Localized hypertrophic mononeuropathy
Intraneural perineurioma of the common peroneal nerve. Case report and review of the literature, 811
Long-term survival
Long-term survival in a patient with brain metastases preceding the diagnosis of endometrial cancer. Report of two cases and review of the literature, 846
Loss of heterozygosity
Analysis of loss of heterozygosity on chromosomes 10q, 11, and 16 in medulloblastomas, 799

Magnetic resonance imaging
Brain-within-brain appearance of a heterotopic neuronal mass on magnetic resonance imaging. Case illustration, 540
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Extent of tumor–brain interface: a new tool to predict evolution of malignant gliomas, 433
High-field magnetic resonance imaging in patients with moyamoya disease, 233
Primary pineal melanocytic tumor. Case report, 523
Surveillance neuroimaging in childhood intracranial ependymoma: how effective, how often, and for how long? 27
Tuberculosis and the skull. Letter, 146, 147
Magnetic resonance neurography
Intraneural perineurioma of the common peroneal nerve. Case report and review of the literature, 811
Magnetic resonance spectroscopy
Magnetic resonance spectroscopy of brain hemangiopericytomas: high myoinositol concentrations and discrimination from meningiomas, 55
Magnetoencephalography
Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445
Malignant tumor
Interleukin-6 overexpression as a marker of malignancy in human gliomas, 97
Mean arterial blood pressure
Hypothermia. Letter, 853, 855
Median nerve
Median nerve compression caused by a venous aneurysm. Case report, 624
Neurotization as an alternative for restoring finger and wrist extension, 795
Medulloblastoma
Analysis of loss of heterozygosity on chromosomes 10q, 11, and 16 in medulloblastomas, 799
Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612

Medulloblastoma (*continued*)
Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Melanocytoma
Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature, 841
MELAS syndrome
Focal hyperperfusion in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis, and strokelike episodes. Case report, 133
Membrane type–matrix metalloproteinase
Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Meningeal tumor
Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature, 841
Meningioma
Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
Chordoid meningioma with polyclonal gammopathy. Case report, 122
Evidence for mitogen-associated protein kinase activation and transduction of mitogenic signals by platelet-derived growth factor in human meningioma cells, 293
Meningeal neurosarcoidosis mimicking convexity meningioma. Case illustration, 1013
Transcrusal approach to the petroclival region with hearing preservation. Technical note and illustrative cases, 660
Meningothelial meningioma
Molecular alterations in the *neurofibromatosis Type 2* gene and its protein rarely occurring in meningothelial meningiomas, 111
Meta-iodobenzylguanidine
Metastatic brainstem pheochromocytoma in a patient with von Hippel–Lindau disease. Case illustration, 138
Metastasis
Placental site trophoblastic tumor metastasizing to the brain. Case illustration, 137
Metastatic pheochromocytoma
Metastatic brainstem pheochromocytoma in a patient with von Hippel–Lindau disease. Case illustration, 138
Microdialysis
Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621
Intracerebral microdialysis in neurointensive care: the use of urea as an endogenous reference compound
Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
Microvascular decompression
Radiosurgery and trigeminal neuralgia. Letter, 1018, 1019
Minimally invasive surgery
Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note, 677
Mitogen-associated protein kinase
Evidence for mitogen-associated protein kinase activation and transduction of mitogenic signals by platelet-derived growth factor in human meningioma cells, 293
Modeling technique
Multiple-revolution spiral osteotomy for cranial reconstruction. Technical note, 671
Motor cortex
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Mouse
Antitumor activity of the growth hormone receptor antagonist pegvisomant against human meningiomas in nude mice, 487
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Moyamoya disease
High-field magnetic resonance imaging in patients with moyamoya disease, 233
Multiple cerebral aneurysms
Risk factors for the formation of multiple intracranial aneurysms, 728
Musculocutaneous nerve
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Myocardial infarction
Gender and traumatic brain injury. Letter, 862, 863

Near-infrared spectroscopy
Cerebral oximetry. Letter, 864, 865
Neocortical epilepsy
Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome, 33
Nerve graft
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Nerve injury
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Nerve palsy
Radial nerve palsy caused by spontaneously occurring nerve torsion. Case report, 627
Nerve repair
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Nerve torsion
Radial nerve palsy caused by spontaneously occurring nerve torsion. Case report, 627
Nerve transplantation
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Neural implantation
Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775
Neuroendoscopic surgery
Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Neurofibromatosis
Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1, 301

Neurofibromatosis (*continued*)
Molecular alterations in the *neurofibromatosis Type 2* gene and its protein rarely occurring in meningothelial meningiomas, 111
Neurofibromin
Establishment and characterization of a novel malignant astrocytoma cell line derived from a tumor removed in a patient with neurofibromatosis Type 1, 301
Neuronavigation
Frameless neuronavigation in intracranial endoscopic neurosurgery, 72
Neuroprotection
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Neurosarcoidosis
Meningeal neurosarcoidosis mimicking convexity meningioma. Case illustration, 1013
Sphenoid wing sarcoidosis. Case illustration, 849
Neurosurgery
Cerebrospinal fluid shunt infection: a prospective study of risk factors, 195
Staged bilateral pallidotomy for treatment of Parkinson disease, 437
Neurotization
Neurotization as an alternative for restoring finger and wrist extension, 795
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Neurotuberculosis
An unusual presentation of neurotuberculosis: subdural empyema. Case report, 988
Nodular fasciitis
Brachial plexus palsy from nodular fasciitis with spontaneous recovery implications for surgical management. Case illustration, 1014
Cranial fasciitis. Case illustration, 681
Noncaseating granuloma
Meningeal neurosarcoidosis mimicking convexity meningioma. Case illustration, 1013
Normal-pressure hydrocephalus
Age dependence of cerebrospinal pressure–volume compensation in patients with hydrocephalus, 482
Normothermia
A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50

Obstetric paralysis
Use of intercostal nerves for neurotization of the musculocutaneous nerve in infants with birth-related brachial plexus palsy, 386
Obstructive hydrocephalus
Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
Occipital transtentorial approach
Surgical treatment of posterior fossa tumors via the occipital transtentorial approach: evaluation of operative safety and results in 14 patients with anterosuperior cerebellar tumors, 927
Ocular symptom
Ocular symptoms associated with a dural arteriovenous fistula involving the hypoglossal canal: selective transvenous coil embolization. Case report, 630
Operative technique
Cosmetic and functional reconstruction achieved using a split myofascial bone flap for pterional craniotomy. Technical note, 667
Ophthalmic artery
Peripheral ophthalmic artery aneurysm. Report of two cases, 822
Optic nerve
Symptomatic solitary xanthogranuloma occupying the cavernous sinus. Case report, 322
Organotypical culture
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80
Outcome
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Determination of threshold levels of cerebral perfusion presure and intracranial pressure in severe head injury by using receiver–operating characteristic curves: an observational study in 291 patients, 412
Functional outcome after repair of unruptured intracranial aneurysms, 417
Hypophosphatemia and hypomagnesemia induced by cooling in patients with severe head injury, 697
Patient-assessed outcomes after excision of acoustic neuroma: postoperative symptoms and quality of life, 211
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Oxyhemoglobin
Cerebral oximetry. Letter, 864, 865

Pain
Clinical outcomes after stereotactic radiosurgery for idiopathic trigeminal neuralgia, 14
Pallidotomy
Pallidotomy for Parkinson disease: a review of contemporary literature, 43
Pallidotomy and psychological outcomes. Letter, 866, 867
Staged bilateral pallidotomy for treatment of Parkinson disease, 437
A 10-year follow-up review of patients who underwent Leksell's posteroventral pallidotomy for Parkinson disease, 552
Parahippocampal gyrus
Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
Parasellar tumor
Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Parkinson disease
Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775

Parkinson disease (*continued*)
Pallidotomy for Parkinson disease: a review of contemporary literature, 43
Pallidotomy and psychological outcomes. Letter, 866, 867
Staged bilateral pallidotomy for treatment of Parkinson disease, 437
A 10-year follow-up review of patients who underwent Leksell's posteroventral pallidotomy for Parkinson disease, 552
Pathogenesis
Focal hyperperfusion in a patient with mitochondrial myopathy, encephalopathy, lactic acidosis, and strokelike episodes. Case report, 133
Penetrating head injury
Delayed appearance of a traumatic intracranial aneurysm. Case report and review of the literature, 637
Percutaneous surgery
A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Perineurioma
Intraneural perineurioma of the common peroneal nerve. Case report and review of the literature, 811
Peripheral nerve
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Peripheral nerve compression
Median nerve compression caused by a venous aneurysm. Case report, 624
Petrosal approach
Transcrusal approach to the petroclival region with hearing preservation. Technical note and illustrative cases, 660
Phospholipid degradation
Artificial elevation of brain tissue glycerol by administration of a glycerol-containing agent. Case report, 621
Pineal gland
Primary pineal melanocytic tumor. Case report, 523
Piriformis syndrome
Failure of surgical decompression for a presumed case of piriformis syndrome. Case report, 652
Pituitary abscess
Secondary abscess formation in pituitary adenoma after tooth extraction. Case report, 335
Pituitary adenoma
Secondary abscess formation in pituitary adenoma after tooth extraction. Case report, 335
Pituitary tumor
Intrasellar cavernous hemangioma. Case report, 520
Placental site trophoblastic tumor
Placental site trophoblastic tumor metastasizing to the brain. Case illustration, 137
Planum sphenoidale
Meningeal melanocytoma of the planum sphenoidale. Case report and review of the literature, 841
Plastic surgery
Dynamic cranioplasty for brachycephaly in Apert syndrome: long-term follow-up study, 757
Platelet-derived growth factor
Evidence for mitogen-associated protein kinase activation and transduction of mitogenic signals by platelet-derived growth factor in human meningioma cells, 293
Pontomesencephalic cyst
Intrapontomesencephalic colloid cyst: an unusual location. Case report, 118
Portal venous immunization
Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775
Posterior cerebral artery
Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
Posterior interosseous nerve
Neurotization as an alternative for restoring finger and wrist extension, 795
Postoperative hematoma
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918
Postural headache
Diagnostic and surgical strategies for intractable spontaneous intracranial hypotension. Case report, 642
Predictive value
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Pregnancy
Spontaneous thrombosis of a giant aneurysm following pregnancy. Case illustration, 680
Pressure–volume relationship
Age dependence of cerebrospinal pressure–volume compensation in patients with hydrocephalus, 482
Primary leptomeningeal melanoma
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Primitive neuroectodermal tumor
Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612
Prognostic factors
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241
Protein C
Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Pseudotumor
Cranial fasciitis. Case illustration, 681
Pseudotumor syndrome
Endovascular treatment of cranial venous sinus obstruction resulting in pseudotumor syndrome. Report of three cases, 646
Pterional craniotomy
Cosmetic and functional achieved using a split myofascial bone flap for craniotomy. Technical note, 667
Ptosis
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21
Pulmonary embolism
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918

Quality of life
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241

Quality of life (*continued*)
Patient-assessed outcomes after excision of acoustic neuroma: postoperative symptoms and quality of life, 211

Radial nerve
Radial nerve palsy caused by spontaneously occurring nerve torsion. Case report, 627
Radiation complication
Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
Radiation dose
Linear accelerator radiosurgery for vestibular schwannoma, 7
Radiation necrosis
Radiation necrosis following gamma knife surgery: a case-controlled comparison of treatment parameters and long-term clinical follow up, 899
Radiation-induced tumor
Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816
Radiofrequency lesion
A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Radionuclide cisternography
Diagnostic and surgical strategies for intractable spontaneous intracranial hypotension. Case report, 642
Radiosurgery
Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270
Clinical outcomes after stereotactic radiosurgery for idiopathic trigeminal neuralgia, 14
Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831
Gamma knife surgery for treatment of central neurocytomas. Report of four cases, 327
Linear accelerator radiosurgery for vestibular schwannoma, 7
Radiation necrosis following gamma knife surgery: a case-controlled comparison of treatment parameters and long-term clinical follow up, 899
Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
Vestibular schwannomas: linear accelerator radiosurgery. Letter, 142, 144
Vestibular schwannomas: radiosurgery. Letter, 141
Randomized trial
A multicenter prospective randomized controlled trial of the efficacy of mild hypothermia for severely head injured patients with low intracranial pressure, 50
Rat
Angiographic evaluation of middle cerebral artery reperfusion caused by platelet glycoprotein IIb/IIIa receptor complex antagonist murine 7E3 F(ab')$_2$ in a model of focal cerebral ischemia in rats, 582
Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102

Rat (*continued*)
Diminution of metabolism/blood flow uncoupling following traumatic brain injury in rats in response to high-dose human albumin treatment, 499
Effects of tacrolimus on hemispheric water content and cerebrospinal fluid levels of glutamate, hypoxanthine, interleukin-6, and tumor necrosis factor–α following controlled cortical impact injury in rats, 782
Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493
Intracranial bone marrow transplantation after traumatic brain injury improving functional outcome in adult rats, 589
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Protective effect of nimodipine on behavior and white matter of rats with hydrocephalus, 788
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Retroclival lesion
Retroclival craniopharyngioma. Case illustration, 539
Revascularization
Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
Risk factor
Risk factors for the formation of multiple intracranial aneurysms, 728
Ruptured aneurysm
Functional outcome after repair of unruptured intracranial aneurysms, 417
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Three-dimensional computerized tomography angiography–guided surgery of acutely ruptured cerebral aneurysms, 718

Sagittal suture
Sagittal suture as an external landmark for the superior sagittal sinus, 985
Saphenous vein
Augmentation of endothelial function by endothelin antagonism in human saphenous vein conduits, 281
Saphenous vein bypass
Giant petrous carotid aneurysm treated by submandibular carotid–saphenous vein bypass. Case report, 806
Sarcoidosis
Sphenoid wing sarcoidosis. Case illustration, 849
Sciatic nerve
Failure of surgical decompression for a presumed case of piriformis syndrome. Case report, 652
Seizure
Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case, 510
Sella turcica
Intrasellar cavernous hemangioma. Case report, 520
Sella repair. Letter, 861, 862
Semliki Forest virus
Enhancement of antitumor immune response in glioma models in mice by genetically modified dendritic cells pulsed with Semliki Forest virus–mediated complementary DNA, 474

Sensitivity
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Severe head injury
Basal ganglia hematomas in severely head injured patients: clinicoradiological analysis of 37 cases, 224
Shunt malfunction
Effects of ventriculoperitoneal shunt removal on cerebral oxygenation and brain compliance in chronic obstructive hydrocephalus, 573
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Sigmoid sinus
Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
Sinus thrombosis
Cerebrospinal fluid dynamics of cava septi pellucidi and vergae. Case report, 127
Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Siphon effect
Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Skull base approach
Transcrusal approach to the petroclival region with hearing preservation. Technical note and illustrative cases, 660
Skull-base surgery
Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Specificity
Predicting shunt failure on the basis of clinical symptoms and signs in children, 202
Speech
Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445
Sphenoid wing
Sphenoid wing sarcoidosis. Case illustration, 849
Spiral osteotomy
Multiple-revolution spiral osteotomy for cranial reconstruction. Technical note, 671
Spontaneous extradural hematoma
Spontaneous vertex extradural hematoma: considerations about causes. Case report and review of the literature, 633
Spontaneous intracranial hypotension
Diagnostic and surgical strategies for intractable spontaneous intracranial hypotension. Case report, 642
Spontaneous obliteration
Spontaneous obliteration of an arteriovenous malformation associated with head trauma. Case illustration, 139
Spontaneous regression
Germinoma and radiation. Letter, 1022, 1023
Spontaneous thrombosis
Spontaneous thrombosis of a giant aneurysm following pregnancy. Case illustration, 680
Stem cell
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Stent
Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils, 427
Stereotactic biopsy
Brain biopsy sampling by using prospective stereotaxis and a trajectory guide, 67
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Comprehensive assessment of hemorrhage risks and outcomes after stereotactic brain biopsy, 545
Stereotactic radiosurgery
Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816
Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
Stereotaxis
Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
Stimulation mapping
Magnetic source imaging of late evoked field responses to vowels: toward an assessment of hemispheric dominance for language, 445
Stroke
Ischemic complications of surgery for anterior choroidal artery aneurysms, 565
Suboptimum hemicraniectomy as a cause of additional cerebral lesions in patients with malignant infarction of the middle cerebral artery, 693
Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Subarachnoid hemorrhage
Endovascular treatment of intracranial aneurysms using Guglielmi detachable coils in awake patients: safety and feasibility, 880
Health-related quality of life after aneurysmal subarachnoid hemorrhage: impacts of bleeding severity, computerized tomography findings, surgery, vasospasm, and neurological grade, 241
Increase and uncoupling of adrenomedullin from the natriuretic peptide system in aneurysmal subarachnoid hemorrhage, 252
Pediatric cerebral aneurysms, 733
Risk factors for the formation of multiple intracranial aneurysms, 728
Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
Rupture of intracranial aneurysms during treatment with Guglielmi detachable coils: incidence, outcome, and risk factors, 238
Three-dimensional computerized tomography angiography–guided surgery of acutely ruptured cerebral aneurysms, 718
Subdural hematoma
Subdural hematoma recurrence. Letter, 1023, 1024, 1025
Subdural space
An unusual presentation of neurotuberculosis: subdural empyema. Case report, 988
Subthalamic nucleus
Delayed onset of hemidystonia and hemiballismus following head injury: a clinicopathological correlation. Case report, 309
Superior sagittal sinus
Dural arteriovenous fistulas. Letter, 858, 860
Sagittal suture as an external landmark for the superior sagittal sinus, 985

Surgery
Ischemic complications of surgery for anterior choroidal artery aneurysms, 565
Surgical approach
Cerebrospinal fluid leak after acoustic neuroma surgery: influence of tumor size and surgical approach on incidence and response to treatment, 217
Retroclival craniopharyngioma. Case illustration, 539
Supracerebellar transtentorial approach to posterior temporomedial structures. Technical note, 339
Transcerebellomedullary fissure approach with special reference to methods of dissecting the fissure, 257
Surgical navigation
Clinical and economic consequences of early discharge of patients following supratentorial stereotactic brain biopsy, 892
Cranial surgery navigation aided by a compact intraoperative magnetic resonance imager, 936
Swine
Bioabsorbable polymeric material coils for embolization of intracranial aneurysms: a preliminary experimental study, 454
Sylvian fissure
Intracranial lipoma of the sylvian fissure. Case report and review of the literature, 515
Syringomyelia
Cerebral dissection from syringomyelia demonstrated using cine magnetic resonance imaging. Case report, 318
Management of cerebellar ptosis following craniovertebral decompression for Chiari I malformation, 21

Technetium-99m-hexakis (2-methoxyisobutyl isonitrile) single-photon emission computerized tomography scanning
Cerebrospinal fluid immunocytochemical analysis and neuroimaging in the diagnosis of primary leptomeningeal melanoma. Case report, 528
Temporal lobe epilepsy
Anticonvulsant effects of gamma surgery in a model of chronic spontaneous limbic epilepsy in rats, 270
Surgical treatment for neocortical temporal lobe epilepsy: clinical and surgical aspects and seizure outcome, 33
Temporal muscle
Cosmetic and functional achieved using a split myofascial bone flap for craniotomy. Technical note, 667
Thalamus
Revision of deep brain stimulator for tremor. Technical note, 1010
Therapeutic window
Delayed induction and long-term effects of mild hypothermia in a focal model of transient cerebral ischemia: neurological outcome and infarct size, 90
Three-dimensional anisotropy contrast magnetic resonance axonography
Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Three-dimensional computerized tomography angiography
Three-dimensional computerized tomography angiography–guided surgery of acutely ruptured cerebral aneurysms, 718
Three-dimensional transcranial ultrasonography
Dynamic and three-dimensional transcranial ultrasonography of an arachnoid cyst in the cerebral convexity. Technical note, 655
Thromboembolism
Safety of perioperative minidose heparin in patients undergoing brain tumor surgery: a prospective, randomized, double-blind study, 918
Thrombolysis
Angiographic evaluation of middle cerebral artery reperfusion caused by platelet glycoprotein IIb/IIIa receptor complex antagonist murine 7E3 F(ab')$_2$ in a model of focal cerebral ischemia in rats, 582
Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Thyrotoxicosis
Superior sagittal sinus thrombosis induced by thyrotoxicosis. Case report, 130
Timing of surgery
Evaluation of iatrogenic lesions in 722 surgically treated cases of peripheral nerve trauma, 905
Tissue inhibitor of metalloproteinase
Roles of membrane type 1 matrix metalloproteinase and tissue inhibitor of metalloproteinases 2 in invasion and dissemination of human malignant glioma, 464
Tissue inhibitor of metalloproteinase–2
Molecular determinants of glioma cell migration and invasion, 978
Transcerebellomedullary fissure approach
Transcerebellomedullary fissure approach with special reference to methods of dissecting the fissure, 257
Transcranial Doppler ultrasonography
Cerebral blood flow alterations in progressive communicating hydrocephalus: transcranial Doppler ultrasonography assessment in an experimental model, 265
Cerebral hemodynamics in patients with carotid artery occlusion and contralateral moderate or severe internal carotid artery stenosis, 559
Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
Translabyrinthine–transtentorial approach
Analysis of the results obtained in 120 patients with large acoustic neuromas surgically treated via the translabyrinthine–transtentorial approach, 61
Transplantation
Intracranial bone marrow transplantation after traumatic brain injury improving functional outcome in adult rats, 589
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Transsphenoidal approach
Extended transsphenoidal approach with submucosal posterior ethmoidectomy for parasellar tumors. Technical note, 999
Transverse sinus
Results of combined stereotactic radiosurgery and transarterial embolization for dural arteriovenous fistulas of the transverse and sigmoid sinuses, 886
Trapping
Endovascular trapping of giant serpentine aneurysms by using Guglielmi detachable coils: successful reduction of mass effect. Report of two cases, 836
Trauma
Fatal progression of posttraumatic dural arteriovenous fistulas refractory to multimodal therapy. Case report, 831

Traumatic brain injury
Exacerbation of traumatically induced axonal injury by rapid posthypothermic rewarming and attenuation of axonal change by cyclosporin A, 493
Gender and traumatic brain injury. Letter, 862, 863
Intracerebral microdialysis in neurointensive care: the use of urea as an endogenous reference compound, 397
Intracranial bone marrow transplantation after traumatic brain injury improving functional outcome in adult rats, 589
Neuroprotective and behavioral efficacy of nerve growth factor–transfected hippocampal progenitor cell transplants after experimental traumatic brain injury, 765
Potassium and intracranial pressure. Letter, 1025, 1026
Spontaneous obliteration of an arteriovenous malformation associated with head trauma. Case illustration, 139
T_2-reversed imaging
High-field magnetic resonance imaging in patients with moyamoya disease, 233
Trigeminal ganglion
A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Trigeminal neuralgia
Clinical outcomes after stereotactic radiosurgery for idiopathic trigeminal neuralgia, 14
Radiosurgery and trigeminal neuralgia. Letter, 1018, 1019
A 20-year review of percutaneous balloon compression of the trigeminal ganglion, 913
Tuberculosis
Tuberculosis and the skull. Letter, 146, 147
Tumor
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Tumor angiogenesis
Evidence for telomerase involvement in the angiogenesis of astrocytic tumors: expression of human telomerase reverse transcriptase messenger RNA by vascular endothelial cells, 961
Tumor growth
Determinants of tumor size and growth in vestibular schwannomas, 922
Tumor invasion
Tracking the invasiveness of human astrocytoma cells by using green fluorescent protein in an organotypical brain slice model, 80
Tumor seeding
Postoperative spinal seeding of craniopharyngioma. Case report, 617
Tumor size
Cerebrospinal fluid leak after acoustic neuroma surgery: influence of tumor size and surgical approach on incidence and response to treatment, 217
Determinants of tumor size and growth in vestibular schwannomas, 922
Tumor suppression
Reduced tumorigenicity of rat glioma cells in the brain when mediated by hygromycin phosphotransferase, 596
Tumor vaccine
Immunogene therapy with interleukin-2–secreting fibroblasts for intracerebrally metastasizing breast cancer in mice, 287
Tumor volume
Extent of tumor–brain interface: a new tool to predict evolution of malignant gliomas, 433
Tumorigenesis
Molecular alterations in the *neurofibromatosis Type 2* gene and its protein rarely occurring in meningothelial meningiomas, 111

Ultraviolet light
Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775
Unified Parkinson Disease Rating Scale
Pallidotomy for Parkinson disease: a review of contemporary literature, 43
Urea
Intracerebral microdialysis in neurointensive care: the use of urea as an endogenous reference compound, 397
Urokinase
Endovascular treatment of cranial venous sinus obstruction resulting in pseudotumor syndrome. Report of three cases, 646

Vascular malformation
Intrasellar cavernous hemangioma. Case report, 520
Patterns of functional magnetic resonance imaging activation in association with structural lesions in the rolandic region: a classification system, 946
Spontaneous vertex extradural hematoma: considerations about causes. Case report and review of the literature, 633
Vascularization
Magnetic resonance spectroscopy of brain hemangiopericytomas: high myoinositol concentrations and discrimination from meningiomas, 55
Vasospasm
Role of bedside microdialysis in the diagnosis of cerebral vasospasm following aneurysmal subarachnoid hemorrhage, 740
Vegetative state
Early immunological defects in comatose patients after acute brain injury, 706
Venous aneurysm
Median nerve compression caused by a venous aneurysm. Case report, 624
Venous angioma
Developmental venous anomaly with an arteriovenous shunt and a thrombotic complication. Case report, 533
Ventricular pressure
Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Ventriculoperitoneal shunt
Peritoneal shunt tube placement performed using an endoscopic threaded imaging port. Technical note, 677
Treatment of hydrocephalus in adults by placement of an open ventricular shunt, 873
Vertebral artery
Combined endovascular treatment of dissecting vertebral artery aneurysms by using stents and coils, 427
Hyperperfusion phenomenon after percutaneous transluminal angioplasty for atherosclerotic stenosis of the intracranial vertebral artery. Case report, 826
Vestibular schwannoma
Glioblastoma multiforme occurring in a patient treated with gamma knife surgery. Case report and review of the literature, 816

Vestibular schwannoma (*continued*)
Analysis of the results obtained in 120 patients with large acoustic neuromas surgically treated via the translabyrinthine–transtentorial approach, 61
Determinants of tumor size and growth in vestibular schwannomas, 922
Extraaxial primitive neuroectodermal tumor mimicking a vestibular schwannoma: diagnostic and therapeutic difficulties. Report of two cases, 612
Linear accelerator radiosurgery for vestibular schwannoma, 7
Results of acoustic neuroma radiosurgery: an analysis of 5 years' experience using current methods, 1
Vestibular schwannomas: linear accelerator radiosurgery. Letter, 142, 144
Vestibular schwannomas: radiosurgery. Letter, 141
Vestibular schwannomas: surgical approach. Letter, 144, 145
Voltage topographic mapping
Computerized brain-surface voltage topographic mapping for localization of intracranial spikes from electrocorticography. Technical note, 1005
von Hippel–Lindau disease
Metastatic brainstem pheochromocytoma in a patient with von Hippel–Lindau disease. Case illustration, 138
Wallerian degeneration
Differential response of sensory and motor axons in nerve allografts after withdrawal of immunosuppressive therapy, 102
Three-dimensional anisotropy contrast magnetic resonance axonography to predict the prognosis for motor function in patients suffering from stroke, 955
Xanthoastrocytoma
Long-term survival of a patient with giant cell glioblastoma. Case report, 605
Xanthogranuloma
Symptomatic solitary xanthogranuloma occupying the cavernous sinus. Case report, 322
Xenograft
Implantation of xenografts into the parkinsonian rat brain after portal venous administration of xenogeneic donor spleen cells, 775

Journal of Neurosurgery: Spine

January 2001, Volume 94, Number 1

Clinical Articles:

Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyelitis. Gregory J. Przybylski and Ashwini D. Sharan . . . 1
Intraoperative computerized tomography scanning to assess the adequacy of decompression in anterior cervical spine surgery. Stephen R. Freidberg, Bernard A. Pfeifer, Peter K. Dempsey, Edward C. Tarlov, Michael A. Dube, John D. Day, and Darlene E. Machado . . . 8
Results and risk factors for anterior cervicothoracic junction surgery. John A. Boockvar, Matthew F. Philips, Albert E. Telfeian, Donald M. O'Rourke, and Paul J. Marcotte . . . 12
Metastatic renal cell carcinoma of the spine: surgical treatment and results. Robert J. Jackson, Ziya L. Gokaslan, and Shang-Chuin Arvin Loh . . . 18
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures. Daryl R. Fourney, Dima Abi-Said, Frederick F. Lang, Ian E. McCutcheon, and Ziya L. Gokaslan . . . 25
Transcostovertebral approach for thoracic disc herniations. Dzung H. Dinh, John Tompkins, and Shawn B. Clark . . . 38
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model. Neil R. Crawford, Sedat Çagli, Volker K. H. Sonntag, and Curtis A. Dickman . . . 45
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment using threaded interbody cages/dowels and pedicle screws. Sedat Çagli, Neil R. Crawford, Volker K. H. Sonntag, and Curtis A. Dickman . . . 51

Laboratory Investigations:

Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model. Song Liu, Jean Pierre Boutrand, and Marc Tadie . . . 61
Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice. Takanobu Nakase, Kenta Ariga, Shimpei Miyamoto, Shin'ya Okuda, Tetsuya Tomita, Motoki Iwasaki, Kazuo Yonenobu, and Hideki Yoshikawa . . . 68
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis. Paul D. Sawin, Curtis A. Dickman, Neil R. Crawford, M. Stephen Melton, William D. Bichard, and Volker K. H. Sonntag . . . 76
Innervation of caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets. Song Liu, Nozar Aghakhani, Naziare Boisset, Gérard Said, and Marc Tadie . . . 82
Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study. Tunç Öktenoğlu, Lisa A. Ferrara, Niteen Andalkar, A. Fahir Özer, Ali Çetin Sarioğlu, and Edward C. Benzel . . . 91
Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study. Annette Ketler, Hans-Joachim Wilke, and Lutz Claes . . . 97
Effects of cervical spine posture on axial load bearing ability: a biomechanical study. Tunç Öktenoğlu, A. Fahir Özer, Lisa A. Ferrara, Niteen Andalkar, Ali Çetin Sarioğlu, and Edward C. Benzel . . . 108

Case Reports and Technical Notes:

Thoracic spine arachnoid ossification with and without cord cavitation. Report of three cases. Luis Renato Mello, Celso Ithierê Bernardes, Yanara Feltrin, and Marco Antonio Rodacki . . . 115
Microsurgical anterior cervical foraminotomy (uncinatectomy) for cervical disc herniation. Report of three cases. Ali O. Taşçioğlu, Ayhan Attar, and Beliz Taşçioğlu . . . 121
Intraspinal osteolipoma. Case report. Ying-Chao Lin, Chao-Cheng Huang, and Han-Jung Chen . . . 126
Neurenteric cyst of the craniocervical junction. Report of three cases. Flavio Leitao Filho, Marcos Tatagiba, Gustavo A. Carvalho, Wiebke Weichhold, Jörg Klekamp, and Madjid Samii . . . 129
Cervical cord compression due to a hypoplastic atlas. Case report. Daniel May, Benoît Jenny, and Antonio Faundez . . . 133
Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature. Robert D. Ecker, Mark B. Dekutoski, and Michael J. Ebersold . . . 137
Os odontoideum associated with hypertrophic ossiculum terminale. Case report. Hiroshi Sakaida, Shiro Waga, Tadashi Kojima, Yoshichika Kubo, Shigehiko Niwa, and Toshio Matsubara . . . 140
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report. Hiroshi Sakaida, Masahiko Okada, and Akitaka Yamamoto . . . 145
Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report. Xavier Morandi, Laurent Riffaud, Beatrice Carsin-Nicol, and Yvon Guegan . . . 150
Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report. István Domán, Ferenc Kövér, Tamás Illés, and Tamás Dóczi . . . 154
Complete familial Currarino triad. Report of three cases in one family. Masamichi Kurosaki, Hideki Kamitani, Yuichi Anno, Takashi Watanabe, Tomokaisu Hori, and Tatsusuke Yamasaki . . . 158
Anterior sacral meningocele in pregnancy. Case report. Amgad Saddik Hanna and Xavier Morandi . . . 162
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note. Patrick Mertens, Chantal Ghaemmaghami, Lionel Bert, Armand Perret-Liaudet, Marc Guenot, Hussein Naous, Laurent Laganier, Roger Later, Marc Sindou, and Bernard Renaud . . . 165
Use of cylindrical titanium mesh and locking plates in anterior cervical fusion. Technical note. Kaushik Das, William T. Couldwell, Gerard Sava, and Rudolph F. Taddonio . . . 174

Case Illustration:

Treatment of a holocord epidural abscess. Case illustration. Jeffrey Leonard and Bruce Kaufman . . . 179

Neurosurgical Forum: Letters to the Editor . . . 180

Journal of Neurosurgery: Spine

April 2001, Volume 94, Number 2

Clinical Articles:

Can airway complications following multilevel anterior cervical surgery be avoided? Nancy E. Epstein, Renee Hollingsworth, Dominic Nardi, and Johnathan Singer . . . 185
Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis. Anoushka Singh, H. Alan Crockard, Andrew Platts, and John Stevens . . . 189
Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors. Joon K. Song, Fernando Viñuela, Y. Pierre Gobin, Gary R. Duckwiler, Yuichi Murayama, Inam Kureshi, John G. Frazee, and Neil A. Martin . . . 199
Surgery in adults with tethered cord syndrome: outcome study with independent clinical review. Redmer van Leeuwen, Nicolette C. Notermans, and W. Peter Vandertop . . . 205
Giant invasive spinal schwannomas: definition and surgical management. K. Sridhar, Ravi Ramamurthi, M. C. Vasudevan, and B. Ramamurthi . . . 210
Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations. Sean M. Lew, Thomas F. Mehalic, and Kristin L. Fagone . . . 216
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine. Kazuhiko Shiokawa, Junya Hanakita, Hideyuki Suwa, Masaaki Saiki, Masahi Oda, and Motohiro Kajiwara . . . 221
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion. Roelof M. A. W. van Wijk, Jos W. M. Geurts, and Herman J. Wynne . . . 227
Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization. Daryl R. Fourney, Dima Abi-Said, Laurence D. Rhines, Garrett L. Walsh, Frederick F. Lang, Ian E. McCutcheon, and Ziya L. Gokaslan . . . 232

Laboratory Investigations:

Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole. Gwen Schwartz and Michael G. Fehlings . . . 245
Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury. Mercedes Zurita, Jesús Vaquero, Cristina Olivares, and Isabel Zurita . . . 257
Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability. Peter J. Lennarson, Darin W. Smith, Paul D. Sawin, Michael M. Todd, Yutaka Sato, and Vincent C. Traynelis . . . 265
The denticulate ligament: anatomy and functional significance. R. Shane Tubbs, George Salter, Paul A. Grabb, and W. Jerry Oakes . . . 271

Case Reports and Technical Notes:

Occipital neuralgia secondary to hypermobile posterior arch of atlas. Case report. Alexander F. Post, Prithvi Narayan, and Regis W. Haid, Jr. . . . 276
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report. Jae-Won Doh, Andrea L. Halliday, Nevan G. Baldwin, and Edward C. Benzel . . . 279
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases. Jark J. D. Bosma, Timothy J. D. Pigott, Bruce H. Pennie, and David C. Jaffray . . . 284
Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases. Juan C. Bartolomei and H. Alan Crockard . . . 292
Amyloidoma of the thoracic spine. Case report. Vaishali S. Suri, Medha Taike, Sushil Kumar, and Vikas Gupta . . . 299
Pathological fracture through a C-6 aneurysmal bone cyst. Case report. Takeshi Kanamiya, Yasushi Asakawa, Masatoshi Naito, Toyonobu Yoshimura, and Teruto Isayama . . . 302
Intramedullary neurenteric cysts of the spine. Case report and review of the literature. Caleb R. Lippman, Marc Arginteanu, Dushayat Purohit, Thomas P. Naidich, and Martin B. Camins . . . 305
Oncocytoma of the spinal cord. Case report. Se Hoon Kim, SoYa Paik, Do Heum Yoon, and Tai Seung Kim . . . 310
Isolated carcinoid tumor of the terminal filum. Case report. Jay Locke and Lawrence D. True . . . 313
Acute posttraumatic spinal cord herniation. Case report and review of the literature. Gerhard Marquardt, Stefan Weidauer, Friedhelm E. Zanella, and Volker Seifert . . . 316
Subarachnoid–pleural fistula treated with noninvasive positive-pressure ventilation. Case report. Daniel Yoshor, J. Brett Gentry, Scott A. LeMaire, John Dickerson, John Saul, Alex B. Valadka, and Claudia S. Robertson . . . 319
Use of a folded vascularized rib graft in anterior fusion after treatment of thoracic and upper lumbar lesions. Technical note. Hiroaki Nakamura, Yoshiki Yamano, Masahiko Seki, and Sadahiko Konishi . . . 323
Use of a guide device to place pedicle screws in the thoracic spine: a cadaveric study. Technical note. Jee Soo Jang, Won Bok Lee, and Hansen A. Yuan . . . 328

Case Illustrations:

Infantile spinal cord meningioma. Case illustration. Masahiko Watanabe, Kazuhiro Chiba, Morio Matsumoto, Hirofumi Maruiwa, Yoshikazu Fujimura, and Yoshiaki Toyama . . . 334
Syringoperitoneal shunt migration. Case illustration. Sasha C. Burn and David R. Sandeman . . . 335
Intradural sacral chordoma. Case illustration. Masatoshi Sumi, Tetsuji Yamamoto, Atsushi Kitagawa, and Masanori Ikeda . . . 336
Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration. Seigo Koyama . . . 337

Neurosurgical Forum: Letters to the Editor . . . 338

Index to
Journal of Neurosurgery: Spine
Volume 94

January and April 2001

Author Index

ABI-SAID D. *See* Fourney DR, 25, 232
AGHAKHANI N. *See* Liu S, 82
ALBIN M. *See* White RJ, 183
ANDALKAR N. *See* Öktenoğlu BT, 91
———. *See* Öktenoğlu BT, 108
ANNO Y. *See* Kurosaki M, 158
ARGINTEANU M. *See* Lippman CR, 305
ARIGA K. *See* Nakase T, 68
ASAKAWA Y. *See* Kanamiya T, 302
ATTAR A. *See* Taşçıoğlu AO, 121

BALDWIN NG. *See* Doh J-W, 279
BARTOLOMEI JC, CROCKARD HA. Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases, 292
BENZEL EC, FERRARA LA. Cervical interbody fusion. Letters, 180
— — —. *See* Doh J-W, 279
———. *See* Öktenoğlu BT, 91
———. *See* Öktenoğlu T, 108
BERNARDES CI. *See* Mello LR, 115
BERT L. *See* Mertens P, 165
BHATOE HS. Spinal cord injury. Letters, 339
BICHARD WD. *See* Sawin PD, 76
BOISSET N. *See* Liu S, 82
BOOCKVAR JA, PHILIPS MF, TELFEIAN AE, O'ROURKE DM, MARCOTTE PJ. Results and risk factors for anterior cervicothoracic junction surgery, 12
BOSMA JJD, PIGOTT TJD, PENNIE BH, JAFFRAY DC. En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
BOUTRAND JP. *See* Liu S, 61
BURN SC, SANDEMAN DR. Syringoperitoneal shunt migration. Case illustration, 335

ÇAGLI S, CRAWFORD NR, SONNTAG VKH, DICKMAN CA. Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment with threaded interbody cages/dowels and pedicle screws, 51
———. *See* Crawford NR, 45
CAMINS MB. *See* Lippman CR, 305
CARSIN-NICOL B. *See* Morandi X, 150
CARVALHO GA. *See* Filho FL, 129
CHEN H. *See* Lin Y, 126
CHIBA K. *See* Watanabe M, 334
CLAES L. *See* Kettler A, 97
CLARK SB. *See* Dinh DH, 38
COULDWELL WT. *See* Das K, 174
CRAWFORD NR, ÇAGLI S, SONNTAG VKH, DICKMAN CA. Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45
———. *See* Çagli S, 51
———. *See* Sawin PD, 76
CROCKARD HA. *See* Bartolomei JC, 292
———. *See* Singh A, 189

DAS K, COULDWELL WT, SAVA G, TADDONIO RF. Use of cylindrical titanium mesh and locking plates in anterior cervical fusion. Technical note, 174
DAY JD. *See* Freidberg SR, 8
DEKUTOSKI MB. *See* Ecker RD, 137
DEMPSEY PK. *See* Freidberg SR, 8
DICKERSON J. *See* Yoshor D, 319
DICKMAN CA. *See* Çagli S, 51
———. *See* Crawford NR, 45
———. *See* Sawin PD, 76
DIETRICH WD, YEZIERSKI RP. Spinal cord cooling. Letters, 184
DINH DH, TOMPKINS J, CLARK SB. Transcostovertebral approach for thoracic disc herniations, 38
DÓCZI T. *See* Domán I, 154
DOH J-W, HALLIDAY AL, BALDWIN NG, BENZEL EC. Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
DOMÁN I, KÖVÉR F, ILLÉS T, DÓCZI T. Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report, 154
DUBE MA. *See* Freidberg SR, 8
DUCKWILER GR. *See* Song JK, 199
DUMONT AS, HURLBERT RJ. Morphine nerve paste. Letters, 182
DUNSKER SB. Calcitonin and spinal fusion. Letters, 339

EBERSOLD MJ. *See* Ecker RD, 137
ECKER RD, DEKUTOSKI MB, EBERSOLD MJ. Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
ELIAS WJ. *See* Webb KM, 338
EPSTEIN NE, HOLLINGSWORTH R, NARDI D, SINGER J. Can airway complications following multilevel anterior cervical surgery be avoided? 185

FAGONE KL. *See* Lew SM, 216
FAUNDEZ A. *See* May D, 133
FEHLINGS MG. *See* Schwartz G, 245
FELTRIN Y. *See* Mello LR, 115
FERRARA LA. *See* Benzel EC, 180
———. *See* Öktenoğlu BT, 91
———. *See* Öktenoğlu T, 108
FILHO FL, TATAGIBA M, CARVALHO GA, WEICHHOLD W, KLEKAMP J, SAMII M. Neurenteric cyst of the craniocervical junction. Report of three cases, 129
FOURNEY DR, ABI-SAID D, LANG FF, MCCUTCHEON IE, GOKASLAN ZL. Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25
———, ———, RHINES LD, WALSH GL, LANG FF, MCCUTCHEON IE, GOKASLAN ZL. Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
FRAZEE JG. *See* Song JK, 199
FREIDBERG SR, PFEIFER BA, DEMPSEY PK, TARLOV EC, DUBE MA, DAY JD, MACHADO DE. Intraoperative computerized tomography scanning to assess the adequacy of decompression in anterior cervical spine surgery, 8
FUJIMURA Y. *See* Watanabe M, 334

GENTRY JB. *See* Yoshor D, 319
GEURTS JWM. *See* van Wijk RMAW, 227
GHAEMMAGHAMI C. *See* Mertens P, 165
GOBIN YP. *See* Song JK, 199
GOKASLAN ZL. *See* Fourney DR, 25, 232
———. *See* Jackson RJ, 18
GRABB PA. *See* Tubbs RS, 271
GUEGAN Y. *See* Morandi X, 150
GUENOT M. *See* Mertens P, 165
GUPTA V. *See* Suri VS, 299

HAID RW JR. *See* Post AF, 276
HALLIDAY AL. *See* Doh J-W, 279
HANAKITA J. *See* Shiokawa K, 221
HANNA AS, MORANDI X. Anterior sacral meningocele in pregnancy. Case report, 162
HOLLINGSWORTH R. *See* Epstein NE, 185
HORI T. *See* Kurosaki M, 158
HUANG C. *See* Lin Y, 126
HURLBERT RJ. *See* Dumont AS, 182
———. Spinal cord injury. Letters, 181

IKEDA M. *See* Sumi M, 336
ILLÉS T. *See* Domán I, 154
ISAYAMA T. *See* Kanamiya T, 302
IWASAKI M. *See* Nakase T, 68
IWASAKI Y. *See* Koyanagi I, 340

JACKSON RJ, GOKASLAN ZL, LOH SA. Metastatic renal cell carcinoma of the spine: surgical treatment and results, 18
JAFFRAY DC. *See* Bosma JJD, 284
JANG JS, LEE WB, YUAN HA. Use of a guide device to place pedicle screws in the thoracic spine: a cadaveric study. Technical note, 328
JENNY B. *See* May D, 133

KAJIWARA M. *See* Shiokawa K, 221
KAMITANI H. *See* Kurosaki M, 158
KANAMIYA T, ASAKAWA Y, NAITO M, YOSHIMURA T, ISAYAMA T. Pathological fracture through a C-6 aneurysmal bone cyst. Case report, 302
KAUFMAN B. *See* Leonard J, 179
KAUFMAN-FOX K. Erratum, 340
KETTLER A, WILKE H-J, CLAES L. Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
KIM SH, PAIK SY, YOON DH, KIM TS. Oncocytoma of the spinal cord. Case report, 310
KIM TS. *See* Kim SH, 310
KITAGAWA A. *See* Sumi M, 336
KLEKAMP J. *See* Filho FL, 129
KOJIMA T. *See* Sakaida H, 140
KONISHI S. *See* Nakamura H, 323
KÓVÉR F. *See* Domán I, 154
KOYAMA S. Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration, 337
KOYANAGI I, IWASAKI Y. Spinal cord injury. Letters, 340
KUBO Y. *See* Sakaida H, 140
KUMAR S. *See* Suri VS, 299
KURESHI I. *See* Song JK, 199
KUROSAKI M, KAMITANI H, ANNO Y, WATANABE T, HORI T, YAMASAKI T. Complete familial Currarino triad. Report of three cases in one family, 158

LAGANIER L. *See* Mertens P, 165
LANG FF. *See* Fourney DR, 25, 232
LATER R. *See* Mertens P, 165
LEE WB. *See* Jang JS, 328
LEMAIRE SA. *See* Yoshor D, 319
LENNARSON PJ, SMITH DW, SAWIN PD, TODD MM, SATO Y, TRAYNELIS VC. Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability, 265
LEONARD J, KAUFMAN B. Treatment of a holocord epidural abscess. Case illustration, 179
LEW SM, MEHALIC TF, FAGONE KL. Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations, 216
LIN Y, HUANG C, CHEN H. Intraspinal osteolipoma. Case report, 126
LIPPMAN CR, ARGINTEANU M, PUROHIT D, NAIDICH TP, CAMINS MB. Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305
LIU S, AGHAKHANI N, BOISSET N, SAID G, TADIE M. Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82
———, BOUTRAND JP, TADIE M. Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
LOCKE J, TRUE LD. Isolated carcinoid tumor of the terminal filum. Case report, 313
LOH SA. *See* Jackson RJ, 18
LYNCH JL. *See* Theodore N, 339

MACHADO DE. *See* Freidberg SR, 8
MARCOTTE PJ. *See* Boockvar JA, 12

MARQUARDT G, WEIDAUER S, ZANELLA FE, SEIFERT V. Acute posttraumatic spinal cord herniation. Case report and review of the literature, 316
MARTIN NA. *See* Song JK, 199
MARUIWA H. *See* Watanabe M, 334
MATSUBARA T. *See* Sakaida H, 140
MATSUMOTO M. *See* Watanabe M, 334
MAY D, JENNY B, FAUNDEZ A. Cervical cord compression due to a hypoplastic atlas. Case report, 133
MCCUTCHEON IE. *See* Fourney DR, 25, 232
MEHALIC TF. *See* Lew SM, 216
MELLO LR, BERNARDES CI, FELTRIN Y, RODACKI MA. Thoracic spine arachnoid ossification with and without cord cavitation. Report of three cases, 115
MELTON MS. *See* Sawin PD, 76
MERTENS P, GHAEMMAGHAMI C, BERT L, PERRET-LIAUDET A, GUENOT M, NAOUS H, LAGANIER L, LATER R, SINDOU M, RENAUD B. Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165
MIYAMOTO S. *See* Nakase T, 68
MORANDI X, RIFFAUD L, CARSIN-NICOL B, GUEGAN Y. Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report, 150
———. *See* Hanna AS, 162
MURAYAMA Y. *See* Song JK, 199

NAIDICH TP. *See* Lippman CR, 305
NAITO M. *See* Kanamiya T, 302
NAKAMURA H, YAMANO Y, SEKI M, KONISHI S. Use of folded vascularized rib graft in anterior fusion after treatment of thoracic and upper lumbar lesions. Technical note, 323
NAKASE T, ARIGA K, MIYAMOTO S, OKUDA S, TOMITA T, IWASAKI M, YONENOBU K, YOSHIKAWA H. Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68
NAOUS H. *See* Mertens P, 165
NARAYAN P. *See* Post AF, 276
NARDI D. *See* Epstein NE, 185
NEEDHAM CW. Morphine nerve paste. Letters, 181
NIWA S. *See* Sakaida H, 140
NOTERMANS NC. *See* van Leeuwen R, 205

O'ROURKE DM. *See* Boockvar JA, 12
OAKES WJ. *See* Tubbs RS, 271
ODA M. *See* Shiokawa K, 221
OKADA M. *See* Sakaida H, 145
ÖKTENOĞLU BT, FERRARA LA, ANDALKAR N, ÖZER AF, SARIOĞLU AC, BENZEL EC. Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
ÖKTENOĞLU T, ÖZER AF, FERRARA LA, ANDALKAR N, SARIOĞLU AC, BENZEL EC. Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
OKUDA S. *See* Nakase T, 68
ÖZER AF. *See* Öktenoğlu BT, 91
———. *See* Öktenoğlu T, 108
PAIK SY. *See* Kim SH, 310
PENNIE BH. *See* Bosma JJD, 284
PERRET-LIAUDET A. *See* Mertens P, 165
PFEIFER BA. *See* Freidberg SR, 8
PHILIPS MF. *See* Boockvar JA, 12
PIGOTT TJD. *See* Bosma JJD, 284
PLATTS A. *See* Singh A, 189
POST AF, NARAYAN P, HAID RW JR. Occipital neuralgia secondary to hypermobile posterior arch of atlas. Case report, 276
PRZYBYLSKI GJ, SHARAN AD. Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyelitis, 1
PUROHIT D. *See* Lippman CR, 305

RAMAMURTHI B. *See* Sridhar K, 210
RAMAMURTHI R. *See* Sridhar K, 210
RENAUD B. *See* Mertens P, 165
RHINES LD. *See* Fourney DR, 232
RIFFAUD L. *See* Morandi X, 150
ROBERTSON CS. *See* Yoshor D, 319
RODACKI MA. *See* Mello LR, 115

SAID G. *See* Liu S, 82
SAIKI M. *See* Shiokawa K, 221
SAKAIDA H, OKADA M, YAMAMOTO A. Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
———, WAGA S, KOJIMA T, KUBO Y, NIWA S, MATSUBARA T. Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
SALTER G. *See* Tubbs RS, 271
SAMII M. *See* Filho FL, 129
SANDEMAN DR. *See* Burn SC, 335
SARIOĞLU AC. *See* Öktenoğlu BT, 91
———. *See* Öktenoğlu T, 108
SATO Y. *See* Lennarson PJ, 265
SAUL J. *See* Yoshor D, 319
SAVA G. *See* Das K, 174
SAWIN PD, DICKMAN CA, CRAWFORD NR, MELTON MS, BICHARD WD, SONNTAG VKH. The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
———. *See* Lennarson PJ, 265
SCHWARTZ G, FEHLINGS MG. Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
SEIFERT V. *See* Marquardt G, 316
SEKI M. *See* Nakamura H, 323
SHARAN AD. *See* Przybylski GJ, 1
SHIOKAWA K, HANAKITA J, SUWA H, SAIKI M, ODA M, KAJIWARA M. Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
SINDOU M. *See* Mertens P, 165
SINGER J. *See* Epstein NE, 185
SINGH A, CROCKARD HA, PLATTS A, STEVENS J. Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis, 189
SMITH DW. *See* Lennarson PJ, 265
SONG JK, VIÑUELA F, GOBIN YP, DUCKWILER GR, MURAYAMA Y, KURESHI I, FRAZEE JG, MARTIN NA. Surgical and endovas-

cular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199
SONNTAG VKH. *See* Çagli S, 51
———. *See* Crawford NR, 45
———. *See* Sawin PD, 76
SRIDHAR K, RAMAMURTHI R, VASUDEVAN MC, RAMAMURTHI B. Giant invasive spinal schwannomas: definition and surgical management, 210
STEVENS J. *See* Singh A, 189
SUMI M, YAMAMOTO T, KITAGAWA A, IKEDA M. Intradural sacral chordoma. Case illustration, 336
SURI VS, TATKE M, KUMAR S, GUPTA V. Amyloidoma of the thoracic spine. Case report, 299
SUWA H. *See* Shiokawa K, 221

TADDONIO RF. *See* Das K, 174
TADIE M. *See* Liu S, 61, 82
TARLOV EC. *See* Freidberg SR, 8
TAŞÇIOĞLU AO, ATTAR A, TAŞÇIOĞLU B. Microsurgical anterior cervical foraminotomy (uncinatectomy) for cervical disc herniation. Report of three cases, 121
TAŞÇIOĞLU B. *See* Taşçioğlu AO, 121
TATAGIBA M. *See* Filho FL, 129
TATKE M. *See* Suri VS, 299
TELFEIAN AE. *See* Boockvar JA, 12
THEODORE N, LYNCH JJ. Calcitonin and spinal fusion. Letters, 339
TODD MM. *See* Lennarson PJ, 265
TOMITA T. *See* Nakase T, 68
TOMPKINS J. *See* Dinh DH, 38
TOYAMA Y. *See* Watanabe M, 334
TRAYNELIS VC. *See* Lennarson PJ, 265
TRUE LD. *See* Locke J, 313
TUBBS RS, SALTER G, GRABB PA, OAKES WJ. The denticulate ligament: anatomy and functional significance, 271

VALADKA AB. *See* Yoshor D, 319
VAN LEEUWEN R, NOTERMANS NC, VANDERTOP WP. Surgery in adults with tethered cord syndrome: outcome study with independent clinical review, 205
VAN WIJK RMAW, GEURTS JWM, WYNNE HJ. Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
VANDERTOP WP. *See* van Leeuwen R, 205
VAQUERO J. *See* Zurita M, 257
VASUDEVAN MC. *See* Sridhar K, 210
VIÑUELA F. *See* Song JK, 199

WAGA S. *See* Sakaida H, 140
WALSH GL. *See* Fourney DR, 232
WATANABE M, CHIBA K, MATSUMOTO M, MARUIWA H, FUJIMURA Y, TOYAMA Y. Infantile spinal cord meningioma. Case illustration, 334
WATANABE T. *See* Kurosaki M, 158
WEBB KM, ELIAS WJ. Calcitonin and spinal fusion. Letters, 338
WEICHHOLD W. *See* Filho FL, 129
WEIDAUER S. *See* Marquardt G, 316
WHITE RJ, ALBIN M. Spinal cord cooling. Letters, 183
WILKE H-J. *See* Kettler A, 97
WILKINSON HA. Spinal cord injury. Letters, 180
WYNNE HJ. *See* van Wijk RMAW, 227

YAMAMOTO A. *See* Sakaida H, 145
YAMAMOTO T. *See* Sumi M, 336
YAMANO Y. *See* NAKAMURA H, 323
YAMASAKI T. *See* Kurosaki M, 158
YEZIERSKI RP. *See* Dietrich WD, 184
YONENOBU K. *See* Nakase T, 68
YOON DH. *See* Kim SH, 310
YOSHIKAWA H. *See* Nakase T, 68
YOSHIMURA T. *See* Kanamiya T, 302
YOSHOR D, GENTRY JB, LEMAIRE SA, DICKERSON J, SAUL J, VALADKA AB, ROBERTSON CS. Subarachnoid–pleural fistula treated with noninvasive positive-pressure ventilation. Case report, 319
YUAN HA. *See* Jang JS, 328

ZANELLA FE. *See* Marquardt G, 316
ZURITA I. *See* Zurita M, 257
ZURITA M, VAQUERO J, ZURITA I. Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury, 257

Subject Index

Adult
  Surgery in adults with tethered cord syndrome: outcome study with independent clinical review, 205
Amino acid
  Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165
Amyloidoma
  Amyloidoma of the thoracic spine. Case report, 299
Aneurysmal bone cyst
  Pathological fracture through a C-6 aneurysmal bone cyst. Case report, 302
Anterior cervical foraminotomy
  Microsurgical anterior cervical foraminotomy (uncinatectomy) for cervical disc herniation. Report of three cases, 121
Anterior cervical fusion
  Use of cylindrical titanium mesh and locking plates in anterior cervical fusion. Technical note, 174
Anterior cervical spine surgery
  Intraoperative computerized tomography scanning to assess the adequacy of decompression in anterior cervical spine surgery, 8
Anterior lumbar interbody fusion
  Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment with threaded interbody cages/dowels and pedicle screws, 51
anterior sacral meningocele
  Anterior sacral meningocele in pregnancy. Case report, 162
  Complete familial Currarino triad. Report of three cases in one family, 158
anterior–posterior approach
  Can airway complications following multilevel anterior cervical surgery be avoided? 185
  En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
  Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
Apoptosis
  Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury, 257
Arachnoid ossification
  Thoracic spine arachnoid ossification with and without cord cavitation. Report of three cases, 115
Arteriovenous malformation
  Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199
Arthrodesis
  Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyelitis, 1
  Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
Atlantoaxial dislocation
  Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Atlantoaxial subluxation
  Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
Atlas
  Cervical cord compression due to a hypoplastic atlas. Case report, 133
Atlas fracture
  Occipital neuralgia secondary to hypermobile posterior arch of atlas. Case report, 276
Axonal regeneration
  Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82

Biomechanical study
  The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
Biomechanics
  Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45
  Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment with threaded interbody cages/dowels and pedicle screws, 51
  Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
  Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
  Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
Bone morphogenetic protein
  Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68
Bone morphogenetic protein receptor
  Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68

C-1 arch
  Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
Cadaver
  Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45

Cancer
Metastatic renal cell carcinoma of the spine: surgical treatment and results, 18
Carcinoid tumor
Isolated carcinoid tumor of the terminal filum. Case report, 313
CD95 (Fas/APO1)
Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury, 257
Cell death
Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury, 257
Central nervous system tumor
Isolated carcinoid tumor of the terminal filum. Case report, 313
Cerebrospinal fluid fistula
Subarachnoid–pleural fistula treated with noninvasive positive-pressure ventilation. Case report, 319
Cervical fusion
Can airway complications following multilevel anterior cervical surgery be avoided? 185
Cervical myelopathy
Cervical cord compression due to a hypoplastic atlas. Case report, 133
Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis, 189
Cervical schwannoma
Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report, 150
Cervical spine
Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases, 292
Cervical cord compression due to a hypoplastic atlas. Case report, 133
Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability, 265
Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report, 150
Pathological fracture through a C-6 aneurysmal bone cyst. Case report, 302
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Cervical spondylosis
Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis, 189
Cervicothoracic junction
Results and risk factors for anterior cervicothoracic junction surgery, 12
Chondrosarcoma
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Chordoma
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
Intradural sacral chordoma. Case illustration, 336
Chronic pain
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
Classification system
Giant invasive spinal schwannomas: definition and surgical management, 210
Compression injury
Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
Computerized tomography
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
Congenital anomaly
Cervical cord compression due to a hypoplastic atlas. Case report, 133
Cord cavitation
Thoracic spine arachnoid ossification with and without cord cavitation. Report of three cases, 115
Corpectomy
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
Corticosteroid therapy
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
Craniocervical junction
Neurenteric cyst of the craniocervical junction. Report of three cases, 129
Craniovertebral junction
Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Crossfixation
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Currarino triad
Anterior sacral meningocele in pregnancy. Case report, 162
Complete familial Currarino triad. Report of three cases in one family, 158
Cyclic testing
Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
Cylindrical titanium mesh
Use of cylindrical titanium mesh and locking plates in anterior cervical fusion. Technical note, 174

Decompression surgery
Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration, 337
Degenerative spondylolisthesis
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment with threaded interbody cages/dowels and pedicle screws, 51
Dentate ligament
The denticulate ligament: anatomy and functional significance, 271
Denticulate ligament
The denticulate ligament: anatomy and functional significance, 271
Dermoid cyst
Complete familial Currarino triad. Report of three cases in one family, 158
Disc herniation
Microsurgical anterior cervical foraminotomy (uncinatectomy) for cervical disc herniation. Report of three cases, 121
Discectomy
Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations, 216
Discitis
Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyeli-tis, 1
Dorsal horn
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165

Dorsal root entry zone lesion
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165
Dorsal root ganglion
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
Dura mater
Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
Dural fistula
Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199
Dysesthesia
Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305

Embolization
Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199
En bloc resection
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
Endodermal cyst
Neurenteric cyst of the craniocervical junction. Report of three cases, 129
Endoscopy
Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations, 216
Enterogeneous cyst
Neurenteric cyst of the craniocervical junction. Report of three cases, 129
Epidermoid cyst
Complete familial Currarino triad. Report of three cases in one family, 158
Epidural scar adhesions
Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
Experimental spondylosis
Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68

Failed-back syndrome
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
Filum terminale
Isolated carcinoid tumor of the terminal filum. Case report, 313
Fistula
Treatment of a holocord epidural abscess. Case illustration, 179
Flexibility
Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
Fracture
Pathological fracture through a C-6 aneurysmal bone cyst. Case report, 302
Fusion failure
Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
Fusion rate
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76

Gene expression
Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68
Giant schwannoma
Giant invasive spinal schwannomas: definition and surgical management, 210
Grading system
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
Guide device
Use of a guide device to place pedicle screws in the thoracic spine: a cadaveric study. Technical note, 328

Herniation
Acute posttraumatic spinal cord herniation. Case report and review of the literature, 316
Horseradish peroxidase
Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82
Hourglass tumor
Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report, 150
Hypoplasia
Cervical cord compression due to a hypoplastic atlas. Case report, 133

Immobilization
Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability, 265
In situ hybridization
Distribution of genes for bone morphogenetic protein–4, –6, growth differentiation factor–5, and bone morphogenetic protein receptors in the process of experimental spondylosis in mice, 68
In vitro modeling
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45
Infant
Infantile spinal cord meningioma. Case illustration, 334
Treatment of a holocord epidural abscess. Case illustration, 179
Insertional torque
Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
Instrumentation
Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyelitis, 1
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Interbody fusion
Effects of neck movements on stability and subsidence in cervical interbody fusion: an in vitro study, 97
Intervertebral disc herniation
Transcostovertebral approach for thoracic disc herniations, 38
Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations, 216
Intracerebral hemorrhage
Intracerebral hemorrhage complicating cervical "hourglass" schwannoma removal. Case report, 150
Intradural tumor
Intradural sacral chordoma. Case illustration, 336

Intramedullary lesion
Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305
Intraoperative computerized tomography
Intraoperative computerized tomography scanning to assess the adequacy of decompression in anterior cervical spine surgery, 8
Intraspinal tumor
Intraspinal osteolipoma. Case report, 126
Intubation
Can airway complications following multilevel anterior cervical surgery be avoided? 185
Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability, 265

Laminectomy
Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
Laryngoscopy
Cervical spinal motion during intubation: efficacy of stabilization maneuvers in the setting of complete segmental instability, 265
Lipoma
Intraspinal osteolipoma. Case report, 126
Lordosis
Use of cylindrical titanium mesh and locking plates in anterior cervical fusion. Technical note, 174
Lordotic spin
Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
Low-back pain
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
lumbar spine
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 1: In vitro model, 45
Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report, 154
Transforaminal percutaneous endoscopic discectomy in the treatment of far-lateral and foraminal lumbar disc herniations, 216

Magnetic resonance imaging
Anterior sacral meningocele in pregnancy. Case report, 162
Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis, 189
Intradural sacral chordoma. Case illustration, 336
Marfan syndrome
Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report, 154
Medulla oblongata
Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration, 337
Membrane
Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
Meninges
The denticulate ligament: anatomy and functional significance, 271
Meningioma
Infantile spinal cord meningioma. Case illustration, 334
Metastasis
Isolated carcinoid tumor of the terminal filum. Case report, 313
Metastatic renal cell carcinoma of the spine: surgical treatment and results, 18
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25

Microdialysis
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165
Migration
Syringoperitoneal shunt migration. Case illustration, 335
Mirror-image neurofibroma
Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases, 292
Monkey
Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82
Motor endplate
Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82
Motor function
Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
Muscle action potential
Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82

Nerve root
Use of a collagen-based sealant to prevent in vivo epidural adhesions in an adult rat laminectomy model, 61
Neurenteric cyst
Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305
Neurenteric cyst of the craniocervical junction. Report of three cases, 129
Neurofibroma
Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases, 292
Neurofibromatosis
Bilateral posterolateral approach to mirror-image C-2 neurofibromas. Report of four cases, 292
Neurotransmitter
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165

Occipital condyle
Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Occipital neuralgia
Occipital neuralgia secondary to hypermobile posterior arch of atlas. Case report, 276
Odontoid fracture
Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Oncocytoma
Oncocytoma of the spinal cord. Case report, 310
Os odontoideum
Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Ossiculum terminale
Os odontoideum associated with hypertrophic ossiculum terminale. Case report, 140
Ossification
Intraspinal osteolipoma. Case report, 126

Ossification of the ligamentum flavum
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
Osteolipoma
Intraspinal osteolipoma. Case report, 126
Outcome
Clinical and radiological correlates of severity and surgery-related outcome in cervical spondylosis, 189
Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199

Paralysis
Innervation of the caudal denervated ventral roots and their target muscles by the rostral spinal motoneurons after implanting a nerve autograft in spinal cord–injured adult marmosets, 82
Pedicle screw
Use of a guide device to place pedicle screws in the thoracic spine: a cadaveric study. Technical note, 328
Pedicle screw fixation
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25
Phenytoin
Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
Pilot hole
Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
Positive-pressure ventilation
Subarachnoid–pleural fistula treated with noninvasive positive-pressure ventilation. Case report, 319
Posterolateral approach
Transcostovertebral approach for thoracic disc herniations, 38
Posterolateral lumbar arthrodesis
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
Pregnancy
Anterior sacral meningocele in pregnancy. Case report, 162
Prophylaxis
Can airway complications following multilevel anterior cervical surgery be avoided? 185
Pullout resistance
Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
Pyogenic vertebral osteomyelitis
Single-stage autogenous bone grafting and internal fixation in the surgical management of pyogenic discitis and vertebral osteomyelitis, 1

Rabbit
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
Radiculopathy
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Radiofrequency lesioning
Long-lasting analgesic effect of radiofrequency treatment of the lumbosacral dorsal root ganglion, 227
Rat
Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
Reconstructive surgery
Giant invasive spinal schwannomas: definition and surgical management, 210
Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
Renal cell carcinoma
Metastatic renal cell carcinoma of the spine: surgical treatment and results, 18
Rheumatoid arthritis
Symptomatic C1–2 fusion failure due to a fracture of the lateral C-1 posterior arch in a patient with rheumatoid arthritis. Case report and review of the literature, 137
Rib graft
Use of folded vascularized rib graft in anterior fusion after treatment of thoracic and upper lumbar lesions. Technical note, 323
Riluzole
Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
Risk factors
Results and risk factors for anterior cervicothoracic junction surgery, 12

Sacrum
Intradural sacral chordoma. Case illustration, 336
Scoliosis
Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report, 154
Spina bifida
Surgery in adults with tethered cord syndrome: outcome study with independent clinical review, 205
Spinal canal stenosis
Cervical cord compression due to a hypoplastic atlas. Case report, 133
Spinal cord anatomy
The denticulate ligament: anatomy and functional significance, 271
Spinal cord compression
Amyloidoma of the thoracic spine. Case report, 299
Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration, 337
Spinal cord
Microdialysis study of amino acid neurotransmitters in the spinal dorsal horn of patients undergoing microsurgical dorsal root entry zone lesioning. Technical note, 165
Surgical and endovascular treatment of spinal dural arteriovenous fistulas: long-term disability assessment and prognostic factors, 199
Spinal cord injury
Acute posttraumatic spinal cord herniation. Case report and review of the literature, 316
Evaluation of the neuroprotective effects of sodium channel blockers after spinal cord injury: improved behavioral and neuroanatomical recovery with riluzole, 245
Presence and significance of CD-95 (Fas/APO1) expression after spinal cord injury, 257
Syringoperitoneal shunt migration. Case illustration, 335
Spinal cord neoplasm
Oncocytoma of the spinal cord. Case report, 310
Spinal cord tumor
Infantile spinal cord meningioma. Case illustration, 334
Spinal decompression
Subarachnoid–pleural fistula treated with noninvasive positive-pressure ventilation. Case report, 319

Spinal dysraphism
Surgery in adults with tethered cord syndrome: outcome study with independent clinical review, 205
Spinal epidural abscess
Treatment of a holocord epidural abscess. Case illustration, 179
Spinal fusion
Results and risk factors for anterior cervicothoracic junction surgery, 12
The effects of dexamethasone on bone fusion in an experimental model of posterolateral lumbar spinal arthrodesis, 76
Use of folded vascularized rib graft in anterior fusion after treatment of thoracic and upper lumbar lesions. Technical note, 323
Spinal lesion
Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305
Spinal stabilization
Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Spine
Effects of hole preparation on screw pullout resistance and insertional torque: a biomechanical study, 91
Giant invasive spinal schwannomas: definition and surgical management, 210
Metastatic renal cell carcinoma of the spine: surgical treatment and results, 18
Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25
Spine posture
Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
Spondylectomy
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Stabilization
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25
Stenosis
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
Straightened spine
Effects of cervical spine posture on axial load bearing ability: a biomechanical study, 108
Subluxation
Subluxation of a lumbar vertebra in a patient with Marfan syndrome. Case report, 154
Surgical approach
Giant invasive spinal schwannomas: definition and surgical management, 210
Syringomyelia
Syringoperitoneal shunt migration. Case illustration, 335
Syringoperitoneal shunt
Syringoperitoneal shunt migration. Case illustration, 335

Tethered cord syndrome
Surgery in adults with tethered cord syndrome: outcome study with independent clinical review, 205
Tethered cord
The denticulate ligament: anatomy and functional significance, 271
Thoracic spine
Amyloidoma of the thoracic spine. Case report, 299
Clinical analysis and prognostic study of ossified ligamentum flavum of the thoracic spine, 221
Intramedullary neurenteric cysts of the spine. Case report and review of the literature, 305
Spinal stabilization by using crossed-screw anterior–posterior fixation after multisegmental total spondylectomy for thoracic chondrosarcoma. Case report, 279
Thoracic spine arachnoid ossification with and without cord cavitation. Report of three cases, 115
Transcostovertebral approach for thoracic disc herniations, 38
Use of a guide device to place pedicle screws in the thoracic spine: a cadaveric study. Technical note, 328
Threaded interbody cages
Biomechanics of Grade I degenerative lumbar spondylolisthesis. Part 2: Treatment with threaded interbody cages/dowels and pedicle screws, 51
Tortuosity
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Transcostovertebral approach
Transcostovertebral approach for thoracic disc herniations, 38
Tumor
Simultaneous anterior–posterior approach to the thoracic and lumbar spine for the radical resection of tumors followed by reconstruction and stabilization, 232
Use of pedicle screw fixation in the management of malignant spinal disease: experience in 100 consecutive procedures, 25

Uncinate process
Microsurgical anterior cervical foraminotomy (uncinatectomy) for cervical disc herniation. Report of three cases, 121

Vascular reconstruction
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Vascularized bone graft
Use of folded vascularized rib graft in anterior fusion after treatment of thoracic and upper lumbar lesions. Technical note, 323
Vertebral artery
Lower medulla and upper cervical cord compression caused by bilateral vertebral artery. Case illustration, 337
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Vertebral artery loop
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145
Vertebrectomy
En bloc removal of the lower lumbar vertebral body for chordoma. Report of two cases, 284
Vertebrobasilar insufficiency
Vascular reconstruction of a vertebral artery loop causing cervical radiculopathy and vertebrobasilar insufficiency. Case report, 145